DOE/OR/21548-236
CONTRACT NO. DE-AC05-86OR21548

WSSRAP BUILDINGS CHARACTERIZATION - CHEMICAL CHARACTERIZATION REPORT

Weldon Spring Site Remedial Action Project
Weldon Spring, Missouri

OCTOBER 1991 **REV. 0**



U.S. Department of Energy
Oak Ridge Operations Office
Weldon Spring Site Remedial Action Project

MK-FERGUSON A MORRISON KNUDSEN COMPANY	Rev. No. 0
Weldon Spring Site Remedial Action Project Contract No. DE-AC05-86OR21548	
REPORT TITLE: WSSRAP Buildings Characterization - Chemical Characterization Report	

APPROVALS

Mark E. Nelson — Environmental Compliance Manager — 10/15/91 Date

Steven Gee — Environmental Safety & Health Manager — 10-15-91 Date

Greenwell — Construction Management and Operations Manager — 10-23-91 Date

Engineering Manager — 10-22-91 Date

Deputy Project Director — 10/24/91 Date

James R. Powers — Project Director — 10/24/91 Date

DOE/OR/21548-236

Weldon Spring Site Remedial Action Project

WSSRAP Buildings Characterization
Chemical Characterization Report

Revision 0

October 1991

Prepared by

MK-FERGUSON COMPANY
and
JACOBS ENGINEERING GROUP
7295 Highway 94 South
St. Charles, Missouri 63304

for the

U.S. DEPARTMENT OF ENERGY
Oak Ridge Operations Office
Under Contract DE-AC05-86OR21548

Printed in the United States of America. Available from the National Technical Information Service, NTIS, U.S. Department of Commerce, 5285 Port Royal Road, Springfield, Virginia 22161

NTIS Price Codes - Printed copy: A05
Microfiche: A01

ABSTRACT

The Weldon Spring Buildings Characterization Program has been undertaken by the U.S. Department of Energy in an effort to describe in great detail the physical, chemical and radiological characteristics of the Weldon Spring Chemical Plant. Knowledge of these characteristics is needed to ensure that factors that may complicate the demolition of the buildings, such as worker health and safety impacts or special waste management requirements, are considered during preparation of demolition plans. The chemical characterization was conducted to identify the types of chemical processes that took place in the buildings, and identify what systems and chemical residuals remain in the buildings. In addition, surfaces and process equipment that contained residual contamination were investigated to determine which residuals or contaminated surfaces require special handling or management as a hazardous chemical waste.

TABLE OF CONTENTS

TABLE OF CONTENTS (Continued)

NUMBER **PAGE**

LIST OF DRAWINGS

LIST OF DRAWINGS (Continued)

LIST OF TABLES

1 INTRODUCTION

This report summarizes the findings of investigations performed on the Weldon Spring Chemical Plant buildings, focusing on chemical characteristics.

The Weldon Spring Chemical Plant (WSCP) contained many complex chemical processing systems, chemical storage and distribution systems, and waste/by-product handling systems. These systems were designed to carry a variety of chemicals and wastes, some of which are hazardous to workers and/or the environment.

The chemical plant was shut down and left in "standby condition" in 1966. The systems were emptied, cleaned to the standard of "visibly clean", neutralized, and left in partially reassembled condition. This standard was achieved for most of the systems, based on this investigation. However, during previous remedial actions at the Weldon Spring Site Remedial Action Project (WSSRAP), several exceptions to the standard of "visibly clean" were observed. Some piping, tanks, and sumps were found to contain product or accumulations of water from leaking roofs. Past investigations also noted that many of the chemical systems were not clearly marked or identified, so the function or contents of the systems can not be readily recognized in the field. This combination of unknown or unquantified conditions was an obstacle to building dismantlement because the hazards that workers might be exposed to could not be controlled or prevented without additional information. The remnants of chemicals and radioactive materials in the piping, reaction vessels, sumps, and pits inside the buildings could also present major complications in the administration of demolition subcontracts, because unanticipated labor, equipment, and materials would be necessary to address previously unidentified residuals during the actual disassembly of the systems. Therefore, detailed and up-to-date information on the chemical systems was necessary to support plans to clean and dismantle the chemical plant buildings.

Historical records were studied to identify the systems and determine the types of materials that were present while the plant was in operation. During construction and operation of the plant, a color coding system was established to identify the content of pipelines in the chemical plant. A pipeline index symbol was used to identify the process and utility piping on the as-built drawings. The original Engineering Standard Specification for Pipeline Identification is reproduced in Section 1. Pipelines were identified during chemical characterization based on color coding, labeling, and by tracing the lines to their

A. SCOPE

This specification covers the identification of process and utility piping.

B. GENERAL

1. 201 HF Area and 202 HF Tank Farm Only

Steel piping in this area only shall be identified with a finish coat of #13655 yellow (Federal Standard No. 595 color) and 2 ft. bands of the following color spaced 4 ft. apart.

Contents	Additional Color
AHF	Red
Aqueous HF	Orange
HF vents	White
HF Safety System	Green

2. All Other Areas

Steel piping shall be painted #16187 gray (Federal Standard No. 595 color). Non-ferrous piping shall not be painted. All piping, insulated, non-insulated, ferrous or non-ferrous shall be identified by both color banding tape and pipe markers of the same background colors shown in paragraph E. A wrap of banding tape shall be used on each side of the pipe marker. The name designation of the pipe marker shall face the direction from which it will be normally viewed.

C. MATERIALS

Banding tape and pipe markers may be obtained from the Mallinckrodt storeroom at no cost.

1. Paint

Type of paint material is covered by another specification.

2. Banding Tape

Pressure sensitive, vinyl-cloth tape shall be W. H. Brady Co. "Pipe Banding Tape", 2 1/4 inches wide, or approved equal.

3. Pipe Markers

Pressure sensitive, vinyl-cloth pipe content labels shall be W. H. Brady Co. "Pipe Markers" or approved equal. Letters shall be one inch high for pipes under 3"ϕ and two inches high for pipes 3"ϕ and above.

D. IDENTIFICATION

1. Location

Banding tape and pipe content markers shall be located at the following places:

a. On long runs, at 20 foot intervals indoors and 50 foot intervals outdoors

b. In each room, a minimum of one marker.

c. At points entering equipment or joining other pipes.

d. At points entering or leaving a room or building.

E. SELECTION CHART

With the piping symbol shown on the Pipeline Index sheet, the correct banding tape color and pipe content marker can be selected from the chart below:

Pipeline Index Symbol	Contents	Background Color	Pipeline Index Symbol	Contents	Background Color
A	Ammonia	Yellow	N	Nitrogen	Aluminum
AN	Al Nitrate	Purple	NA	Nitric Acid	Purple
CH	Lime Slurry	Purple	NAD	NA Drain	Purple
CO	Cutting Oil	Aluminum	NAR	NA Recov.	Purple
CT	Tower Water	Green	NAV	NA Vent	Purple
CW	Service Water	Green	NOK	Clear Aque. Uran.	Purple
CWD	Service Water Drain	Green	OK	Clear Aque. Uran.	Purple
DA	Diss. Ammonia	Yellow	PA	Plant Air	Blue
DS	Uran. Bearing Slurry	Purple	PC	Conveying	Aluminum
DW	DI Water	Green	PW	Potable Water	Green
EG	Brine	Green	R	Uran. Free Slurry	Purple
F	Freon	Green	SA	Sulphuric Acid	Purple
FG	Fuel Gas	Yellow	SC	Carbonate	Purple
FP	Precoat	Purple	SH	Caustic	Purple
FW	Fire Water	Red	SL	Sump Liquor	Purple
HE	Inert Gas	Aluminum	SS	Sanitary Sewer	Green
HL	Hydraulic Oil	Aluminum	SW	Soft Water	Green
HO	H_2 Off-Gas	Yellow	TBP	TBP	Purple
HST	HP Steam	Orange	TBX	Solvent	Purple
HW	Hydraulic Water	Green	TBXV	Solvent Vent	Purple
HXF & HXR	Hexane	Purple	TO	Transformer Oil	Aluminum
IA	Inst. Air	Blue	TS	Treat Solv.	Purple
KH	KOH	Purple	TW	Temp. Water	Green
LC	Condensate	Orange	UNH	Clear Aque. Uran.	Purple
LST	LP Steam	Orange	VA	Vac. Air	Blue
			VC	Vac. Clean	Aluminum
			WW	Wash Water	Green

origin and terminus to identify the systems served by each pipeline. Most of the information available on the WSCP facilities and their operation was very general, and did not provide the necessary level of detail. The information was developed during operation of the chemical plant and, though useful, it was outdated or did not accurately reflect present conditions.

New information was developed under this study to better describe the buildings and the chemical contamination that exists in each building.

This report contains a concise description of each building, and its chemical characteristics based on field investigations preformed under the *Buildings Characterization Work Plan* (MKF and JEG 1991). Under this plan, all accessible areas of the WSCP buildings were investigated. In some cases, the components of the buildings or systems could not be accessed for safety reasons, or because partial dissassembly of the building or system was the only means of gaining access to the system. These situations will be addressed during the building dismantlement projects.

This report is divided into three sections and arranged according to building demolition work packages. The chemical systems housed in each building, the chemicals used during operation of the facilities, observations on special conditions that are present, and analysis of chemical characteristics are described for each building. As-Built drawings, process flow diagrams, or floor plan sketches are included when necessary to illustrate the location or function of various systems.

Many buildings have sumps or pits that have retained or accumulated water during the years that the chemical plant has been idle. Most of the accumulated waste water has been analyzed and found to contain toxic metals above the established hazardous waste thresholds. Under current waste management plans, the waste water is to be managed as a hazardous waste. The characterization data for the sump waste water is summarized in Table 1-1.

TABLE 1-1 RCRA Characteristics of Building Sumps

Building No.	Estimated Volume	RCRA Constituents	Demolition Package
101	10000	Non-RCRA	1
103	2000	Non-RCRA	1
105	1500	Non-RCRA	1
106	50	Hg, Se	1
108	500	Non-RCRA	1
201	4000	Pb, Hg	3
202	13000	Pb	1
301	50000	Pb	3
403	3000	Pb	2
404	5000	Pb, Hg	2
410	500	Pb, Se	2
413	500	As, Pb, Cr, Cd, Se	1
417	500	Pb, Cr	2
431	13000	Cr	2
432	50	Cr	2

2 DEMOLITION PACKAGE 1 BUILDINGS

2.1 Building/Area: Feed Preparation and Sampling Plant Building 101

DESCRIPTION: The feed preparation and sampling plant was designed for sampling and preparation of incoming yellow cake prior to processing in other buildings on site. Drums of feed material were received, weighed, opened, sampled, calcined (as needed), and repackaged in feed hoppers.

CHEMICAL SYSTEMS: The internals of this building were almost completely removed during plant retrofit activities which took place between 1967 and 1969. The remaining chemical-carrying equipment in this building consists of the calciner, several hoppers, a drum lid remover, and a drum dumper.

A calciner was provided to roast incoming ores, which removed ammonia or organic solvents prior to the acid digestion step in the process. Wastes in the form of sludges, floor sweepings, and off-specification uranium compounds may have been calcined to remove impurities and make the wastes amenable to reprocessing.

An in-house vacuum cleaning system is present in the calciner area. Other Piping remaining in this building was primarily for utilities, i.e. electrical conduit, steam, air, propane, and water.

OBSERVATIONS/ANALYSIS: Resource Conservation Recovery Act (RCRA) hazardous waste residues are not present in this building. Residues of yellow cake and uranium oxides are present in the calciner, hoppers, drum lid removal and drum dumper systems, and the vacuum cleaning system. These residues are easily detected by field geiger counter, and will be removed, encapsulated, or contained to prevent future release to the environment. The level of polychlorinated biphenyls (PCBs) contamination in this building is under the 100 $\mu g/100\ cm^2$ action level.

SUPPORT DOCUMENTS: See the following drawing.


YELLOW CAKE HOPPER
DRUM DUMPER
DRUM LID REMOVE
PLAN - BELOW EL. 665'-11"
ELEVATION
DRUM DUMPER 104
CALCINER FEED SCREW X-1
CALCINER ELEV. SCREW FEEDER
CALCINER BUCKET ELEVATOR
CALCINER DRUM FEED CONV. 1ST FL.
CALCINER ROBBLE ARM DRIVE 2ND FL.
CALCINER COOLING SCREW DRIVE 2ND FL.
MALLINCKRODT CHEMICAL WORKS
URANIUM DIVISION
HERRESHOFF FURNACE MODS.
ELECTRICAL CONDUIT RUNS & ELEMENTARY & ONE LINE DIAGRAMS
SCALED
42-810-031-013

2.2 Building/Area: Refinery Tank Farm - Area 102A and B

DESCRIPTION: The refinery tank farm stored bulk chemicals for use in the chemical processes. The chemicals stored included nitric acid, tributyl phosphate, and hexane. These tanks were removed at plant shutdown, and are no longer present.

CHEMICAL SYSTEMS: Chemical systems are not present.

OBSERVATIONS/ANALYSIS: There is one large tank (No. 0056), and another smaller tank (No. 0129) southeast of Building 413 included in area 102A and B. Tank No. 0056 held cooling tower water, and No. 0129 is a retired petroleum fuel tank. The water tank is empty and not suspect for RCRA waste residuals. The fuel tank has been vented to the atmosphere since plant shutdown and is empty. Proper disposition of the tank will be provided for during demolition.

SUPPORT DOCUMENTS: None.

2.3 Building/Area: Digestion and Denitration - Building 103

DESCRIPTION: The digestion of uranium ore, denitration of highly purified uranyl nitrate, and the treatment of raffinate and sump wastes were the functions of Building 103.

CHEMICAL SYSTEMS: Building 103 contained two separate processes. The first process was digestion of uranium ore concentrates (U_3O_8 yellow cake) with 45% nitric acid. The product of digestion was an impure solution of uranyl nitrate ($UO_2(NO_3)_2$), or UNH. Salting agents such as ferric nitrate and aluminum nitrate were added to the digestate to improve extraction efficiency. This acidic solution was sent via overhead pipelines to Building 105 for refinement by solvent extraction and washing with distilled water. After refinement in Building 105, the product, a highly purified form of UNH, was referred to as OK Liquor. The OK Liquor was an aqueous liquid from the water-washing (stripping) phase of the refinement process. Trace amounts of hexane were likely to carry over into the aqueous phase during the stripping process. OK Liquor was returned to Building 103 via overhead pipelines for denitration. In this process, the OK Liquor was boiled to dryness in huge stainless steel kettles. A chemical conversion from UNH to UO_3 (Orange Oxide) took place in these kettles. The vapors, fumes, and mists evolved during this process were highly acidic,

and contained nitric acid and various nitrate compounds (primarily NO_2), with trace amounts of hexane. These vapors were entrained by fume hoods and sent to the nitric acid recovery system, Building 108, again via overhead pipelines.

OBSERVATIONS/ANALYSIS: Only acid/base, salting agents (aluminum and ferric nitrate) and radioactive chemicals were used in this building. Most of the equipment associated with the digestion and denitration process has been removed from Building 103. There are four empty carbon steel tanks present in the sump liquor hold area, and seven empty stainless steel tanks in the feed adjustment/sump liquor concentration area. The internals of the carbon steel tanks have been tested and determined pH neutral, and nonradioactive on internal surfaces. The internals of the stainless steel tanks have been tested and determined pH neutral, and show varying levels of radioactivity on internal surfaces. Short sections of stainless steel piping are present in inaccessible locations in the acid digestion area. This piping appears to be open at both ends, but will be tested for pH once removed by the dismantlement contractor prior to placement in the material staging area (MSA).

Some air handling ductwork is present, and will require cleaning to remove loose radioactive particulate as part of the demolition of this building.

Two locations in this building were found to be in excess of the PCB cleanup threshold for low-contact restricted areas.

SUPPORTING DOCUMENTS: See the following drawings.

2.4 Building/Area: Lime Storage Building 104

DESCRIPTION: Storage of bulk lime and preparation of lime slurry used in the neutralization of acidic waste liquids.

CHEMICAL SYSTEMS: All systems carried lime ($Ca(OH)_2$) or lime slurry. Piping, several tanks, and two mixing vats are present.

ANALYSIS/OBSERVATIONS: A representative sample of solid lime was dissolved in water to make a 10% solution. The pH of this solution was 8. Free oils remaining in gear boxes will be removed prior to or during demolition. One oil spot in the upper level of



TANKS REMAINING IN BUILDING 103
ARE HIGHLIGHTED


ALL TANKS SHOWN IN THIS DRAWING
HAVE BEEN REMOVED
PLAN BELOW ELEV. 680'-9"
PARTIAL PLAN BELOW ELEV. 590'-9"
PARTIAL PLAN BELOW ELEV. 590'-9"
AS BUILT
BLAW-KNOX CO.
OFFICIAL USE ONLY
MAINTENANCE AREA
RAFFINATE CONCENTRATION AREA
UNH CONCENTRATION AND DENITRATION
AUX DISSOLVING STATION AND WAREHOUSE
DUST HOOD
CLERKS
SUPPLIES
FOREMAN
LADDER
STAIRS
(FOR EQUIPMENT LOCATION SEE PARTIAL PLAN)
NOTE:
FOR GENERAL NOTE & REFERENCE DWGS SEE DWG 2103-11
THIS REV. PERTAINS TO 4411-1
BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
FOR
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
AND
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI
DIGESTION & DENITRATION BLDG AREA 103
LAYOUT
PLAN 1ST LEVEL
SHEET NO. 2
SCALE 1/8" = 1'-0"
4411
2103-12
12



GENERAL NOTES

1- 6" Valve, Relief Valve And Pressure Gauge Have Been Purchased Separately

2- 5"O.D. Pipe To Be Obtained From #2 Water Plant

Dwg. No.	Title
SJ-4-12	MCW Std. Spec. Piping
SJ-3-22	MCW Std. Spec. Piping
SC-8-1	MCW Std. Spec. Painting

REFERENCE DRAWINGS

MALLINCKRODT CHEMICAL WORKS
URANIUM DIVISION

7 — 104

LIME CAR UNLOADING
TRUCK UNLOADING LINE
& VENT LINE

	By	Date
Drawn	[illegible]	12-7-62
Checked	[illegible]	1-8-63
Proj. Engr.	[illegible]	1-9-63
Approved		
Approved		
Approved		
Scale	[illegible]	

Dwg. No. 22 320 50? [illegible]



PLAN & ELEVATION 109'-5"
PIPING SCHEMATIC AT SLURRY BREAK TANK
SOUTH ELEVATION
SECTION A-A
PLAN & ELEVATION 661'-5"
SOUTH ELEVATION
NORTH
NOTES
REVISED AS BUILT
FRUIN-COLNON CONTRACTING CO.
UTAH CONSTRUCTION CO.
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI
PIPING
BULK LIME UNLOADING & SLURRYING FACILITIES
PLANS, ELEVATIONS & SECTIONS
FCU-82-520-504-11

Building 104 needs to be wipe tested for PCB contamination. The lower level is not PCB contaminated based on a previous PCB survey.

Supporting Documents: See the following drawings.

2.5 Building/Area: TBP Extraction - Building 105

DESCRIPTION: Building 105 was designed for solvent extraction and purification of uranyl nitrate, using a ~30% mixture of tributyl phosphate in hexane, followed by stripping with distilled water or OK Liquor. Due to safety concerns associated with the use of ether, and the high purity achieved by the hexane/TBP extraction, ether re-extraction was never employed on a production scale.

CHEMICAL SYSTEMS: This building has been gutted. It was one of three buildings that the Department of the Army attempted to decontaminate and retrofit for the production of Agent Orange. No chemical processing equipment remains.

ANALYSIS/OBSERVATIONS: No chemical contamination was found. PCB wipe tests were below the cleanup criteria (<100 $\mu g/100\ cm^2$).

SUPPORTING DOCUMENTS: Not applicable

2.6 Building/Area: Proof Sampler - Building 106

DESCRIPTION: The proof samplers housed automated sampling equipment for taking periodic samples of process sewer and sanitary sewer water prior to discharge from the site. Laboratory personnel analyzed the waste water for uranium content, to ensure that the concentration of uranium in the waste stream did not exceed 1 g/l. Traces of other process chemicals were also measured periodically. There are three proof samplers serving different areas and systems at the chemical plant site. Building 106 sampled the process sewer lines for the refinery area.

CHEMICAL SYSTEMS: The proof sampler stations consist of a reinforced concrete structure, flume, flow orifices, pumps, and auxiliary instrumentation below ground covered

by a small prefabricated steel housing. The above ground structures house a proof sampler enclosed in a cabinet, a storage tank (s.s. vat), and instrumentation.

ANALYSIS/OBSERVATIONS: The tank in Building 106 was empty and no visible residue was present. During plant operation this tank would have contained highly dilute solutions of process chemicals and uranium compounds. This item will be cleaned to pass a radiological survey as part of the demolition.

SUPPORTING DOCUMENTS: None

2.7 Building/Area: Nitric Acid Recovery - Building 108

DESCRIPTION: Recovery of Nitric Acid from the denitration process.

CHEMICAL SYSTEMS: Nitric acid and NO_2 was driven off by heating UNH solution in denitration pots in Building 103. These acidic mists, vapors, or fumes were entrained by exhaust hoods and sent via overhead pipelines to Building 108 for recovery. The nitric acid was condensed by a series of eight Nash Compressors, passed through a liquid separator, absorbed in a scrubbing column, and reconcentrated by refluxing in a second distillation column. The recovered acid was stored in tanks located in area 102. Some UNH and hexane was carried over in the NO_2 vapor, and systems were provided to collect UNH condensate. A flash tank was employed to safely burn off hexane. A seal liquor separator tank held the seal liquor used to maintain the seals on the Nash Compressors. The ferric nitrate tank shown in the as-built drawings was not found in the bermed containment area of Building 108.

OBSERVATIONS/ANALYSIS: This system was suspect for RCRA corrosive waste residuals in the form of HNO^3. The systems are completely open and vented to the atmosphere, which suggests that any hazardous material present would be in the form of dried-on residues. Field sampling showed that the two towers were nonradioactive and pH neutral at accessible points in the system, an indication that this system was neutralized in accordance with the shutdown procedures. A radioactive solid material was found in the filter screens inside a section of piping in the compressor room of Building 108. Samples have been submitted for analysis. It is suspected that the material is throium nitrate, a radioactive/oxidizer. These residues are easily detected by field geiger counter, and will be

removed, encapsulated, or contained to prevent future release to the environment. The seal liquor catch-pans in the compressor room are PCB contaminated above 100 $\mu g/100\ cm^2$.

SUPPORT DOCUMENTS: See the following drawings. A drawing listing incoming and outgoing piping is included.

2.8 Building/Area: Drum Storage - Buildings 109 and 110

DESCRIPTION: Buildings 109 and 110 are canopy-type buildings used as a holding point for incoming drums of feed material. At present, demolition waste and scrap metal are stored under these canopies.

CHEMICAL SYSTEMS: No chemical systems are present.

OBSERVATIONS/ANALYSIS: A PCB wipe test on an oil-soaked patch of concrete in this area was well below the cleanup criteria for PCB contamination.

SUPPORTING DOCUMENTS: None.

2.9 Building/Area: Green Salt Tank Farm - Area 202

DESCRIPTION: The green salt tank farm provided storage of anhydrous hydrofluoric acid (AHF), 70% hydrofluoric acid and anhydrous ammonia used in the processes in Building 201.

CHEMICAL SYSTEMS: The hydrofluoric acid (HF) tanks are all ~15,000 gal capacity. Five of the tanks were designated for AHF service. These tanks required a temperature-controlled environment and are housed inside Building 202. Freon 22 refrigerant was used in the rooftop air conditioning units. Three 70% HF tanks are located in a bermed containment area south of Building 202. The ammonia tanks were removed at plant shutdown.

OBSERVATIONS/ANALYSIS: All eight HF/AHF tanks were opened for inspection and sampling. Six of the tanks were empty. The inner walls of these six tanks, numbers 0060, 0061, 0063, 0064, 0066, and 0067 showed a pH ranging from 4 to 7; geiger counter readings


BUILDING 108
ferric nitrate tank (removed)
FLASH TANK
ABSORBER
SEPARATOR TANK
NASH COMPRESSORS
SEAL LIQUOR PUMPS
ELEVATION "A-A"
GENERAL NOTES:
APPROVED FOR CONSTRUCTION
REFERENCE DRAWINGS 4411-7108-1
REFERENCE DWGS W. WINTERIZING
PIPING ARRANGEMENT KEY PLAN AT GRADE
BINGMASTER & BREYER
NITRIC ACID PLANT - AREA 108
4411-7108-1


PLAN @ EL 8'-0"
PLAN @ EL 16'-0"
PLAN @ EL 24'-0"
PLAN @ EL 32'-0"
PLAN @ EL 40'-0"
ELEVATION A-A
RECONCENTRATOR AND
ABSORBER COLUMNS
AT VARIOUS ELEVATIONS
APPROVED FOR
CONSTRUCTION
4411-7108-2
D
PIPING ARRANGEMENT
KEY PLANS & ELEVATIONS 8'-0" THRU 40'-0"
SINGMASTER & DREYER
NITRIC ACID PLANT - PANELS 105
SUB-CONTRACT NO. WS-20
4411-7108-2
D


PLAN C-C
PLAN D-D
PLAN E-E
ELEVATION A-A
ELEVATION D-D
INCOMING LINE
PROCESS:
SERVICE:
OUTGOING LINES
PROCESS:
SERVICE:
APPROVED FOR CONSTRUCTION
4411-7108-4 - 0
OFF-SITE CONNECTIONS
INCOMING AND OUTGOING LINES
SINGMASTER & BREYER
NITRIC ACID PLANT AREA 108
SUB CONTRACT NO WB-20
4411-7108-4
D



APPROVED FOR CONSTRUCTION
ABSORBER
AGITATOR
FERRIC NITRATE TANK
FERRIC NITRATE PUMPS
RECONCENTRATOR
REFLUX CONDENSER
ABSORBER BOTTOMS RECYCLE COOLER
ZERO PREHEATER
FLASH TANK
LIQUID SEPARATOR
PRODUCT COOLER
SEAL LIQUID COOLER
REBOILER
SEAL POT
DEMISTER
AIR BLOWER
VENT BLOWER
ABSORBER BOTTOMS RECYCLE PUMPS
GAS COMPRESSORS
SEAL LIQUID PUMPS
BOTTOM PRODUCT PUMPS
REBOILER RECYCLE PUMP
STM HEATING HEADER
STM TRACING HEADER
FOR ALL NOTES AND LEGEND SEE DRAWING NO 4411-1108-1
REFERENCE DRAWINGS
ERWIN-COLNON CONTRACTING COMPANY AND UTAH CONSTRUCTION COMPANY JOINT VENTURERS
ENGINEERING FLOW DIAGRAM SERVICE
BINGMASTER & BREYER
METALLURGISTS & CHEMICAL ENGINEERS, NEW YORK
NITRIC ACID PLANT - AREA 108
SUB-CONTRACT NO. WS-70
NONE
3-16-56
4411-1108-1
C



APPROVED FOR CONSTRUCTION
ENGINEERING FLOW DIAGRAM
PROCESS
SINGMASTER & BREYER
FRUIN-COLNON CONTRACTING COMPANY
AND
UTAH CONSTRUCTION COMPANY
JOINT VENTURERS
REFERENCE DRAWINGS
4411-1108-2
4411-1108-2-SH71
3-16-56
1363
LEGEND
SYMBOL
DESCRIPTION
GATE VALVE
GLOBE VALVE
NEEDLE VALVE
PLUG COCK VALVE
CHECK VALVE
BUTTERFLY VALVE
CONICAL TYPE STRAINER (30 MESH)
TRAP
"Y" STRAINER
RELIEF VALVE
CONTROL VALVE WITH HANDWHEEL
RUBBER HOSE
ARRANGEMENT FOR COOLING COIL CONN'S, SAMPLE CONN'S & DRAINS.
TYPICAL SAMPLE & DRAIN CONNECTIONS
RECONCENTRATOR
ABSORBER
AGITATOR
GAS COMPRESSORS
SEAL LIQUID PUMPS
BOTTOM PRODUCT PUMPS
REBOILER RECYCLE PUMP
REFLUX CONDENSER
PRODUCT COOLER
TO SUMP (TYPICAL)



SKIRT & BASE RING ... ASTM-A-283 Gr C
PIPE ... ASTM-A-53

DESIGN SPECIFICATIONS

This Equipment Is To Be Designed, Fabricated, Inspected, Tested & Stamped In Accordance With The A.S.M.E. Code For Unfired Pressure Vessels Section VIII 1952 Edition, Latest Revision Parts UG, UW, UHA & The Following Conditions.

Working Pressure	25 PSIG
Working Temperature	150 °F
Design Pressure	40 PSIG
Design Temperature	200 °F
Corrosion Allowance	No
Joint Efficiency	80 %
Stress Relieved	No
Radiographed	No
Hydrostatic Test (Completed By Hand)	65 PSIG
Hammer Test	None
Inspection	
Code Stamping	Yes

Estimated Weights

Erection Weight Including Trays	28000 LBS
Operating Weight	59300 LBS
Weight Full Of Liquid	173000 LBS

NOTES

1. All Stainless Steel Welding To Be Inert Gas Shielded Metal Arc, Using 308L Filler With Non Consumable Electrodes. (Both Sides)
2. All Connections To Be Constructed of Sch 40 Pipe & S.O. Flanges To The Facing & Rating Given In The Table Of Connections, Unless Otherwise Noted.
3. Manholes 20" I.D. & 6" Min. The Neck.
4. Connections To Be Reinforced Per Code With S.S. Pads.
5. All Connections Shall Extend 6" From Outside Of Vessel To Face Of Flange Unless Otherwise Noted.
6. All Flange Facings To Be Concentric Serrated Finish 90° "V" Tool 1/64" Deep 1/32" Wide.
7. All Bolt Holes To Straddle Reference Lines.
8. Cleaning: All Surfaces To Be Free From Dirt, Slag, Oil, Grease, Etc. And Cleaned With A Solvent Prior To Shipment.
9. All Openings To Be Suitably Covered And Protected Against Damage During Shipment.
10. Carbon Steel To Be Coated With Bitumastic Primer (Koppers Co) Or Amercoat Primer #48 (Amercoat Corp.)

MARK NO. 108-1

APPROVED FOR CONSTRUCTION

4411-3000-1 D

CLIENT: PFAUM-COLMON CONTRACTING COMPANY AND UTAH CONSTRUCTION COMPANY JOINT VENTURERS

TITLE: NITRIC ACID ABSORBER 7'-0" O.D. x 58'-0" HIGH.

SINGMASTER & BREYER
METALLURGISTS & CHEMICAL ENGINEERS, NEW YORK

NITRIC ACID PLANT AREA 100
SUB-CONTRACT No. NS-10

DRAWING APPROVED DATE — SINGMASTER & BREYER

DWN. R.J.M.
SCALE ¾"=1'0" & NOTED
DATE FEB 1 1953
JOB NO. 1363
DRAWING NUMBER 4411-3000-1
REV. D


APPROVED FOR CONSTRUCTION
INSTRUMENT & ELECTRICAL ROOM
INSTRUMENT PANEL BOARD
COMPRESSOR ROOM
FLASH TANK
FERRIC NITRATE TANK
FERRIC NITRATE PUMPS
SEAL POT
BOTTOM PRODUCT PUMPS
REFLUX PUMP
ABSORBER BOTTOM RECYCLE PUMPS
ABSORBER
LIQUID SEPARATOR
SEAL LIQUOR COOLER
SEAL LIQUOR PUMPS
VENT BLOWERS
NOTES
ALARM PANEL SCHEDULE
INSTRUMENTATION LAYOUT AT GRADE
SINGMASTER & BREYER
FRUIN COLNON CONTRACTING CO. AND UTAH CONSTRUCTION CO. JOINT VENTURERS
NITRIC ACID PLANT AREA 100
4411-8108-6



B	1	3" NOZZLE WITH 2" DIP PIPE	OUTLET
C	1	3" NOZZLE WITH 2" DIP PIPE	INLET
D	1	1 1/2" NOZZLE	VENT
E	1	24" MANWAY	ACCESS
F	1	3" NOZZLE	VENT
G	1	1 1/2" NOZZLE	T.E. CONNECTION
H	1	2" NOZZLE	OUTLET (ON ITEM 3036-1 ONLY)

FITTING SCHEDULE NOTES:

① NOZZLE FLANGE DIMENSIONS - ASA 150# STD., LARGE TONGUE & GROOVE, COMPLETE WITH SLIP-ON COMPANION FLG. UNLESS OTHERWISE NOTED. GROOVED FLANGE SHALL BE ATTACHED TO VESSEL & TO DIP PIPE.

① NOZZLE NECKS SHALL BE SCH. 160.

GENERAL NOTES

CONSTRUCTION — FUSION WELDED.

CODE — ASME BOILER & PRESSURE VESSEL CODE, SECTION VIII.

① DESIGN CONDITIONS — 150 PSIG & FULL VACUUM @ 150°F

RADIOGRAPHING — COMPLETE RADIOGRAPHING REQUIRED.

MATERIALS — PLATE - ASTM A285 GR. C-FIREBOX OR ASTM A201 GR. A OR B
③ PIPE — ASTM A106
FLANGES — ASTM A181
BOLTING — ASTM A193-B7
STRUCTURALS — ASTM A7
GASKETS — TEFLON
NOTE: SHELL & HEADS SHALL BE ALUMINUM KILLED CARBON STEEL HAVING A CARBON CONTENT OF 0.25% MAX.

TESTING — PER CODE REQUIREMENTS

INSPECTION — CODE APPROVED AGENCY.

STAMPING — ASME & NATIONAL BOARD.

AME PLATE — BLAW-KNOX COMPANY

NT — RUSTBOND PRIMER #6 RED OR "AMERCOAT" PRIMER #4B, APPLIED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS.

SION ALLOWED — 1/8" ON ALL PRESSURE PARTS.

TD CAPACITY — 16,000 GALS

WEIGHT-EMPTY — 39,700 LB.
FULL OF WATER — 173,000 LB.
OPERATING — 206,800 LB. MAX.

— VESSEL SHALL BE UNIFORMLY HEATED @ 1150°F-1200°F FOR ONE HOUR. ALLOW TO COOL SLOWLY @ A RATE NOT GREATER THAN 300°F PER HOUR TO 600°F THEN TO ROOM TEMPERATURE IN STILL AIR.

REFERE — …ICATION 4411-V-1
…ISITION 4411-3035-R1

AS BUILT
BLAW-KNOX CO.
BY C.H. Norton

G	AS BUILT		
3	ADDED ORIENTATION, REVISED PARTS		
4	REMOVED END VIEW THAT WAS ADDED ON REV. 3		1-15-5…

BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.

FOR

U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE

AND

MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI

APPROVED FOR AEC: D.W. BROWN
APPROVED FOR MCW: LESTER G. WEBER

DRAWN: ADAMIAK 3-4-53

GREEN SALT PLANT — AREA 202

HF STORAGE TANKS

SCALE 1/2" = 1'-0" CONT. NO. 4411 DWG. NO. 3035-1 REV. G

F.S. 1202-1 & 2

NOTE: THIS DRAWING PRINTED IN RED INDICATES THE ISSUE TO BE "PRELIMINARY"; PRINTED IN BLUE ON BLACK INDICATES THE ISSUE TO BE "FOR PURCHASE & CONSTRUCTION" EXCEPT AS NOTED OR CHANGED TO THE CONTRARY.

PUBLICATION OR GENERAL DISSEMINATION OF INFORMATION CONTAINED ON THIS DRAWING IS PROHIBITED


FROM 7202-102
FROM AHF DROP TANKS
AHF STORAGE TANK
13,500 GAL (FULL)
SCALE
STEEL PAN
EMERGENCY HF TANK
VACUUM PUMP
430-6
SKETCH (A)
REFRIGERANT LINES
OIL RECOVERY
NOTES:
FLEXIBLE HOSE AND BALL JOINTS NOT TO BE USED FOR AHF UNLOADING CONNECTIONS.
UNLESS OTHERWISE NOTED, ALL SIGNAL HORNS AND LIGHTS TO BE PANEL MOUNTED.
ALL TANKS TO BE ENCLOSED IN INSULATED ENCLOSURE. DESIGN BASED ON MAINTAINING INTERIOR OF ENCLOSURE AT 40°F.
INVESTIGATION IS TO BE MADE TO DETERMINE WHETHER A WATER BARRIER IS REQUIRED UNDER THE TANK FARM LIMESTONE BED TO PREVENT GROUND SOAKING AND DETERIORATION OF FOUNDATIONS.
KEL-F DISCS INSTALLED TO RELIEVE THE FOLLOWING PRESSURES: FOR HF LINES 150 PSI
PLASTIC COVERS TO BE PROVIDED FOR ALL HF FLANGES AND RUPTURE DISCS. PROTECTIVE SHIELDS TO BE PROVIDED ON ALL HF VALVE HANDLES.
AS BUILT
BLAW-KNOX CO.
OFFICIAL USE ONLY
APPROVALS
DATE
REVISIONS
BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI
GREEN SALT PLANT
LINE INDEX DIAGRAM
AHF ACID STORAGE
SCALE
4411
7202-101
NOTE:

were 3x background. Tank 0065, previously used for storage of 70% HF, has a rubber liner and contains a small amount of light green solid residue. A sample has been taken for further analysis, and the results are pending. Field analysis showed that the pH of tank 0065 is <2. Tank 0062, previously used for AHF storage, contains ~5 to 10 gal of free liquid with a pH of 10. It appears that efforts were made to neutralize this tank. A ring of suspected neutralizing agent (i.e. sodium carbonate) was observed at the bottom of the tank. All eight tanks have been vented to the atmosphere for an extended period of time - at least three years.

The freon lines to the refrigeration units have been severed, therefore no freon should be present. A previous investigation showed that this building is not PCB contaminated.

SUPPORTING DOCUMENTS: See the following drawings.

2.10 Building/Area: Steam Plant Boilers - Area 401

DESCRIPTION: Coal-Fired boilers lined with asbestos.

CHEMICAL SYSTEMS: Only the boilers remain.

OBSERVATIONS/ANALYSIS: No chemical impacts are present.

SUPPORTING DOCUMENTS: None.

2.11 Building/Area: Warehouse - Building 406

DESCRIPTION: This building was used for storage of dry chemicals, recycled and special feed materials, intermediate products, and miscellaneous materials.

CHEMICAL SYSTEMS: A vacuum cleaner system clean-out line is located in the rear railcar unloading platform. This line is embedded in concrete, and will be addressed during foundation removal. There are no other chemical systems in this building.



TRUCK DOCK
RAIL DOCK
DRUM MATERIAL
DRY CHEMICALS
MISC. STORAGE
OFFICE
TOILET
LOCKER RM.
UTILITY
GENERAL OFFICE
LINTEL SCHEDULE
FLOOR PLAN
FIN. FL. ELEV.-663'-11"
DETAIL LINTEL L3
HIGH ROOF
LOW ROOF
CANOPY ROOF
ROOF PLAN
PLAN
DETAIL 1 (TYPICAL)
DETAIL 2
SECTION X
AS BUILT
BLAW-KNOX CO.
REFER TO SPECIFICATIONS 4411-406.
BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI
D.W. BROWN
G.E. BROWN
WAREHOUSE AREA 406
ARCHITECTURAL
FLOOR & ROOF PLANS AND DETAILS
SCALE AS NOTED
4411
A406-G1
7

OBSERVATIONS/ANALYSIS: PCB contamination was detected on the floor in the restroom.

SUPPORTING DOCUMENTS: See the following drawings.

2.12 Building/Area: Electrical Substation - Building 412

DESCRIPTION: This building housed the switch gear and a bank of batteries for auxiliary power for the substation. The transformers associated with this substation, and the wet cell batteries were previously removed.

CHEMICAL SYSTEMS: There are no chemical systems in this building.

OBSERVATIONS/ANALYSIS: No chemical impacts were noted.

SUPPORTING DOCUMENTS: None.

2.13 Building/Area: Cooling Tower and Pump House Building 413

DESCRIPTION: The cooling tower was a heat sink for water that was used in various buildings to maintain proper operating temperatures, and to operate heat transfer equipment, such as condensers. The pump house circulated the water in the cooling tower, and was the location of chemical treatment of the cooling tower water. The cooling towers are constructed of wood.

CHEMICAL SYSTEMS: The pump house once contained tanks of compressed chlorine gas for chlorination of the cooling tower water. No chlorine gas tanks remain. An acid mixing tank is present. There are no other chemical systems in this building.

OBSERVATIONS/ANALYSIS: The acid mix tank was found to be pH neutral. One PCB wipe test location was >100 $\mu g/100\ cm^2$. The wood used to construct the cooling towers is tainted with arsenic above the toxicity characteistic leaching procedure (TCLP) extract limit, 5.0 mg/L.

SUPPORTING DOCUMENTS: See the following drawings.





GENERAL NOTES:-

1. ALL PIPING MATERIAL, INSTALLATION AND TEST SHALL CONFORM TO SPECIFICATION 4411-413, PART IX, DIVISION 5.
2. VALVES TO BE GATE VALVES UNLESS OTHERWISE NOTED.
3. U.G. LINE VALVES TO HAVE VALVE BOXES-CLOW F-2450 OR EQUAL AND SOCKET WRENCH-CLOW F-2520 OR EQUAL.
4. U.G. DRAIN VALVES TO HAVE SERVICE BOXES-CLOW F-4615 OR EQUAL AND COMBINATION KEY-CLOW F-4620 OR EQUAL.

LINE SYMBOLS:

* U.G. = UNDERGROUND.

CT = 65° COOLING (SERVICE) WATER	LC = LOW PRESSURE CONDENSATE
CTU = 65° COOLING WATER, U.G.	LS = LOW PRESSURE STEAM
CL = CHLORINE	SA1 = SULPHURIC ACID (66° Bé)
CP = CHROMATE PHOSPHATE	SA2 = DILUTE SULPHURIC ACID

CW = RECIRCULATING COOLING WATER, SUPPLY & RETURN
CWU = RECIRCULATING COOLING WATER, U.G.
DW1 = CITY WATER, DOMESTIC USE
DWU = CITY WATER, DOMESTIC USE, U.G.
HS = HIGH PRESSURE STEAM
IA = INSTRUMENT AIR (SUPPLY HEADER ONLY).

REF. DWGS.:-

2413-1 - LAYOUT - PUMP HOUSE - PLAN & SECTIONS
7413-2 - PIPING - COOLING TOWER - PLANS & SECTIONS.
7000-4 - TYPICAL PIPE DETAILS
8413-1 - FOUNDATIONS - PLAN
8413-2 - FOUNDATIONS - SECTION & DETAILS
8413-31 - STRUCTURAL - PUMP HOUSE FRAMING & MISC. DETAILS
8413-32 - STRUCTURAL - PUMP HOUSE ELEV. & MISC. DETAILS
7510-1 - PIPING - UNDERGROUND UTILITIES: BLOCK 510

AS BUILT
BLAW-KNOX CO.
BY [signature]

BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
FOR
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
AND
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI

APPROVED FOR AEC	D.W. BROWN	11/22/55
APPROVED FOR MCW	G.E. BROWN	10/25/55

	BY	DATE
DRAWN	Korn	10-4-55
CHECKED	Stencel	10-6-55
APPROVED	H.A.L.	10-21-55
SCALE	AS NOTED	

COOLING TOWER — AREA 413
PIPING
PUMP HOUSE
PLAN & SECTIONS

CONT. No. 4411 — DWG. No. 7413-1 — REV. 4

NOTE: THIS DRAWING PRINTED IN RED INDICATES THE ISSUE TO BE "PRELIMINARY" ... PUBLICATION OR GENERAL DISSEMINATION OF INFOR.



3433 1 Acid Dilution Tank
431-66 1 Cooling Water Circ. Pump
431-67 1
431-68 1
431-365 1 Acid Proportioning Pump
442-49 1 Cooling Tower
442-30 1 Water Chlorinator
442-110 1 Water Treatment Unit
Switch Gear
2 Unit Heaters (Steam)
442-50 1 Weigh Scale
442-50 1 Chlorine Bottle Rack
1 Monorail & Hoist (2 Ton)
446-11 2 Fire Extinguisher
475-445 1 Exhaust Fan
471-121 - Finned Radiation Pipes
2 30" Dia. Gravity Roof Ventilator
SWITCH GEAR
UNIT HEATER
BLDG. STEEL
SECTION B
COOLING TOWER BASIN
PUMP HOUSE
COVERED FLUME
KEY PLAN
PLAN PUMP HOUSE
SECTION A
REFERENCE DRAWINGS:-
2413-1 FLOW DIAGRAM
3500-3 CIVIL - ROUGH GRADING PLAN
7412-1 PIPING - COOLING TOWER - PUMP HOUSE
7412-2 PIPING - COOLING TOWER
AS BUILT
BLAW-KNOX CO.
BY
REVISIONS
1 Added Customer Approval
4 As Built
APPROVED FOR AEC D.W. BROWN 9/22/55
APPROVED FOR MCW G.E. BROWN 9/22/55
DRAWN
CHECKED
APPROVED A. THALL 9-12-55
SCALE AS NOTED
BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
FOR
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
AND
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI
COOLING TOWER AREA 413
LAYOUT
PUMP HOUSE
PLAN & SECTIONS
CONT. No. 4411
DWG. No. 2413-1
REV 1
PUBLICATION OR GENERAL DISSEMINATION OF INFORMATION CONTAINED ON THIS DRAWING IS PROHIBITED

2.14 Building/Area: Scrap Classification and Equipment Stores - Building 414 Maintenance

DESCRIPTION: This building is now used as a maintenance and storage building.

CHEMICAL SYSTEMS: One empty above ground fuel oil tank is located outside Building 414.

OBSERVATIONS/ANALYSIS: The fuel oil tank is empty except for ~5 gal of solids composed of soil and fuel oil. PCB levels are below the cleanup criteria.

SUPPORTING DOCUMENTS: None.

2.15 Building/Area: Propane Gas Plant - Building 428

DESCRIPTION: Propane gas storage and distribution.

CHEMICAL SYSTEMS: Two 30,000 gal propane tanks, compressors, valves and metering systems are present.

OBSERVATIONS/ANALYSIS: The propane tanks are open to the atmosphere at the bottom valves. PCB levels are below the cleanup criteria.

SUPPORTING DOCUMENTS: See the following drawings.

2.16 Building/Area: Reserve Water Facilities - Building 429

DESCRIPTION: The reserve water facilities are comprised of a large water storage tank and pumping station.

CHEMICAL SYSTEMS: There are no chemical systems associated with the water facilities.

OBSERVATIONS/ANALYSIS: No oil spill areas were observed, and no other chemical impacts were noted.


FLUME
PLAN: AREA 413 COOLING TOWER
SCALE: 3/8" = 1'
N
FLUME
STEAM PIT STATION
SECTION BB
REFERENCE DWGS:
SPECIFICATIONS:
DETAIL 'A' ORIFICE PIT
SECTION AA
MIDWEST PIPING COMPANY
INSTRUMENTATION
AREA 413 - COOLING TOWER
DWG AMI-413-1


30,000 Gallon PROPANE TANKS
PROPANE STORAGE TANK
RELIEF VALVE
4-WAY VALVE
VAPORIZERS
METER
TO DIST.
ZERO GOVERNOR WITH SELAS MIXERS
TO B.C. TANK CAR UNLOADING STATION
SYMBOLS LIST:
GLOBE VALVE
CHECK VALVE
REGULATOR
PLUG VALVE
STRAINER
RELIEF VALVE
CONFORMS WITH APPROVED DRAWING
MAY 1956
AS BUILT
BLAW-KNOX CO.
BY
CONTRACT AT-(40-1)-1966
SUBCONTRACT - HS-23
PROP. GAS PLANT AREA 428
AMERICAN LIQUID GAS CORPORATION
1109 SANTA FE AVE.
LOS ANGELES, CAL.
MADE FOR U.S. ATOMIC ENERGY COMMISSION
TITLE FLOW DIAGRAM
DRAWING NUMBER
407-38-13


BUILDING 429 RESERVE WATER TANK
BOTTOM LAYOUT
DETAIL OF 16" NOZ. 'F'
DETAIL OF 10" NOZ. 'G'
DETAIL OF 12" NOZ. 'H'
DETAIL OF 10" OVERFLOW NOZ. 'C'
DETAIL OF MANHOLE 'B'
AS BUILT
BLAW-KNOX CO.
CONFORMS WITH APPROVED DRAWING
6-13-56
1-OFF
NOOTER CORPORATION
ST. LOUIS 4, MISSOURI
WATER STORAGE TK.
DATE 2-4-56
JOB No M-5267
DRAWN
DRG. NO. JN-D12102
CK'D
APPR'D


PLAN
SECTION (A)
SECTION (B)
fuel tank has been removed
GENERAL NOTES:
REF. DWGS:
AS BUILT
BLAW-KNOX CO.
BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI
RESERVE WATER TANK AREA 429
PIPING
RESERVE WATER FACILITIES
PLAN & SECTIONS
SCALE 1/4"=1'-0"
CONT. No. 4111
DWG. No. 7429-1

SUPPORTING DOCUMENTS: See the following drawings.

2.17 Building/Area: Fire Training - Building 439

DESCRIPTION: Building 439 is a small steel building used for the training of fire fighters. Vats of waste oil, old tires and other items were burned in this building in order to hone the skills of the on-site fire brigade.

CHEMICAL SYSTEMS: There are no chemical systems associated with the fire training facilities.

OBSERVATIONS/ANALYSIS: PCB levels are below the cleanup criteria. Two outdoor steel containers contain rainwater and miscellaneous non-chemical debris.

SUPPORTING DOCUMENTS: None.

2.18 Building/Area: Cylinder Storage - Building 441

DESCRIPTION: Storage of compressed gas cylinders.

CHEMICAL SYSTEMS: There are no chemical systems associated with the cylinder storage.

OBSERVATIONS/ANALYSIS: No oil spill areas were observed, and no other chemical impacts were noted.

SUPPORTING DOCUMENTS: None.

3 DEMOLITION PACKAGE 2 BUILDINGS

3.1 Building/Area: Chemical Pilot Plant/Scrap Recovery - Building 403

DESCRIPTION: The chemical pilot plant was designed for performing pilot-scale studies of the processes used to convert yellow cake (U_3O_8) to green salt (UF_4). There are two separate sections of the building. A solvent extraction section was partitioned from the digestion/denitration section by a concrete block firewall, as these operations are incompatible for fire safety reasons. A thorium process was developed in this building during the later years of the chemical plant operation. After full scale uranium production was established, scrap recovery operations were conducted in Building 403.

CHEMICAL SYSTEMS:

A pilot scale fluidized bed reduction and hydrofluorination reactor remains in place in the north section of Building 403. A salt bath on the first floor was used to perform denitration of thorium nitrate on a pilot scale.

Ethylene glycol was used as a coolant for various systems in Building 403. Two large pipes running the entire length of the building supplied ethylene glycol, which was chilled in a refrigeration unit located in Building 401.

Utility piping consists of cooling water, steam, air, hydrogen, nitrogen, city water and gas. Much of this piping has been severed during overhead piping removal. Valves are open on these lines.

Process piping consisted of hydrofluoric acid lines, a caustic line (from the bulk storage tank), lime/acidic waste-water neutralization lines, and off-gas lines.

The building contains several drum dumpers, screw conveyors, dust collection systems and ductwork, a pulverizer, combination furnace and mixer, mixing tanks, digestion tanks, flash tanks, feed hoppers, and a bank of pulsed column solvent extractors.

A series of sumps are present, but they are not interconnected by below grade piping, and the system does not connect with the process sewer system. The sumps are apparently for

collection of water from general housekeeping procedures, and for cleaning up leaks and spills. A sump cleanout system consisting of steam jets and overhead slurry lines is present in the north section of the building.

An in-house vacuum cleaning system is present.

A tank labelled "KOH Caustic Potash" is present outside to the north of the building. It is empty, and free of residual caustic material.

There is a 110 ft tall discharge stack (fume scrubber) on the east side of the building that was not cleaned out during shut down. This stack and associated blower must be cleaned and neutralized during dismantlement.

LIST OF CHEMICALS USED IN BUILDING 403:

Lime (calcium hydroxide)
Hydrogen
Nitrogen
Anhydrous hydrofluoric acid
Hydrofluoric acid, various concentrations
Uranium oxides
Uranium tetrafluoride
Uranyl nitrate
Potassium hydroxide/sodium hydroxide
Hydraulic oil
Propane
Ethylene glycol
Thorium nitrate
Thorium oxides
Hexane/tributyl phosphate
Nitric acid
Salt bath chemicals

OBSERVATIONS/ANALYSIS: Uranium oxides and green salt residues are present in the green salt fluidized bed reactor, and brown oxide fluidized bed reactor.

The salt bath for the thorium system was inaccessible at the time this investigation was conducted, and special arrangements will be made for disassembling and cleaning.

One location had a mercury contamination problem, which will be addressed prior to demolition.

Piping systems in this building have been vented. Flanges and valves at low points were left open, so no free liquids are present. Spot tests conducted on the internals of the tanks and piping systems (at accessible points) were determined pH neutral.

Radioactive residue on external surfaces of process piping and equipment in this building should be removed prior to placement on the material staging area (MSA).

All radioactive residuals in this building can easily be detected by a field geiger counter.

Unreacted hydrofluoric acid (HF) liquid is not expected to be present anywhere in this building, due to its characteristics. It appears that most of the systems have been open to the atmosphere, therefore it is not likely that unreacted HF exists.

Sump pump-out lines are suspect for radioactive contamination. The waste water contained in the sumps has trace amounts of lead, making this liquid a hazardous waste.

The pulse columns in the south end of the building contain radioactive residue.

Lubricants tainted with polychlorinated biphenyls (PCBs) are present at several locations identified during sampling, and this situation will be addressed prior to demolition of Building 403.

Dust collection, air handling, in-house vacuum cleaning systems, and ductwork systems contain radioactive dust, thorium, and uranium compounds.

PCB contamination was above 100 $\mu g/100\ cm^2$ in four out of the five locations tested for surface PCB contamination.

SUPPORTING DOCUMENTS: See the following drawings.

Wet and Dry Chemical Pilot Plant Layout 1st Floor (TBP Extraction Area and General Arrangement of Digestion/Denitration Systems)


GRID NORTH
10'x10' ROLL-UP DOOR
FLASH TANK
PIPE CURB
T.B.P. EXTRACTION 2403-EE
MAN DOOR IN SLIDING DOOR
LADDER
CATWALK
SUMP
FOREMAN'S OFFICE
SUPERINTENDENT'S OFFICE
ENGINEERS' OFFICE
SMALL SCALE OPERATIONS
AMMONIUM ROOM
TOILET
PORTER'S CLOSET
15'x10' ROLL UP DOOR
2 BAYS @ 24'-0" = 48'-0"
6 BAYS @ 24'-0" = 120'-0"
AREA LOCATION
REFERENCE DRAWINGS
GENERAL NOTES
1-BRACKETED ITEM NUMBERS DENOTE EXISTING EQUIPMENT
2-ALL DRINKING FOUNTAINS IN EXTRACTION AREAS (T.B.P.) SHALL BE TYPE OR EQUAL-EXPLOSION PROOF
LEGEND
FH FIRE HOSE RACK
SS SAFETY SHOWER
EB EYE BATH
CK DRINKING FOUNTAIN - SEE NOTE 2.
DIGESTION PROCESSING FLOW DIAGRAM
DIGESTION PROCESSING CONTINUED
T.B.P. EXTRACTION FLOW DIAGRAM
T.B.P. EXTRACTION CONTINUED
ETHER EXTRACTION FLOW DIAGRAM
ETHER EXTRACTION CONTINUED
AS BUILT
BLAW-KNOX CO.
REISSUED FOR CUSTOMER APPROVAL
APPROVED FOR AEC D.W. BROWN
APPROVED FOR MCW
APPROVED FOR AEC G.H. HILTON
REVISIONS
BURNS AND ROE INC.
INDUSTRIAL DIVISION
BALTIMORE MD
BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
FOR
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
AND
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI
LAYOUT
BUILDING ARRANGEMENT PLAN 1ST FLOOR
DRAWN
CHECKED
APPROVED
SCALE
CONT. NO.
DWG. NO.
NOTE:
PUBLICATION OR GENERAL DISSEMINATION OF INFORMATION CONTAINED ON THIS DRAWING IS PROHIBITED
FORM No. 5-306 - REV. 2



REVISED AS BUILT
DATE 6-17-60

DWG. NO.	TITLE
92-420-018	UO_2 & UF_4 FLUID BEDS
85-420-021-26	GEN. ARRANG'T. 2ND & 3RD FL.
" " 40 TO 44	TANK AREA - ELECTRICAL
" " 34 TO 37	TANK AREA - PIPING
" " 31 TO 32	TANK AREA FUME DUCT
" " -11	STRUCTURAL - TANK AREA
" " -9	DIGEST TANK
" " -8	NITRIC ACID STORAGE TANK
" " -7	MAKE-UP & CONCENTRATION TANK
" " -6	FILTRATE RECEIVING TANK
" " -5	TANK AREA ELEV SECT. "B-B"
" " -4	TANK AREA ELEV. SECT. "A-A"
" " -2	GEN. ARRANG'T. TANK AREA 1ST FLOOR

REFERENCE DRAWINGS

MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MO. URANIUM DIVISION WELDON SPRING, MO.
ATOMIC ENERGY COMMISSION CONTRACT NO. W-14-108-ENG-8

AREA 403
2 WET & DRY CHEMICAL PILOT PLANT
GENERAL ARRANGEMENT 1ST FLOOR

NO.	REVISIONS	BY	CHKD	DATE
A	ADDED LIGHTING PANEL			
B	ADDED NEW EQUIPMENT C-4 & C-3			
C	ADDED NEW EQUIPMENT FROM ENG. PROJECT 92-420-018			
D	REVISED AS BUILT	JJ		6/17

	BY	DATE
DRAWN	ROTH	6-23-58
CHECKED		6-23-58
PROJ. ENGR.		8-13-58
APPROVED		
APPROVED		
APPROVED		
SCALE:	1/8" = 1'-0"	

DWG. NO. 85-420-021-1 REV. D



VIEW SHOWING POSITIONS OF HEATER ELEMENTS
NOT TO SCALE





NOTE :

POT DEPTH SHOWN NOT TO SCALE - TRUE DEPTH 34"
HEATER LENGTH " " " " " " LENGTH 33"
OVERALL HEIGHT " " " " " " HEIGHT 10'-4½"
SUBMERGED VERTICAL SECTION OF PUMP NOT TO SCALE



DETAIL "A" - ½ SCALE



DETAIL "B" - ½ SCALE



DETAIL "C" - NOT TO SCALE

SCHEMATIC OF INTER-PIPING AND VALVING FOR ATMOSPHERE INLET, OUTLET AND SALT LEVEL CONTROL

MOLTEN SALT HEATER SYSTEM
FOR MALLINCKRODT CHEMICAL COMPANY - A.E.C.
P.O. # U-53036-L

F-58

The Brandwine Equipment Company
2683 Big Bend boulevard
St Louis 17, Missouri
Telephone Sterling 1-6432

REVISIONS :
6-2-58 changed detail "B" (CRR)
6-3-58 added details "C" (CRR)
6-12-58 changed detail "C" (CRR)

DRAWN BY : C.R.R.
SCALE : 1" = 1'
DATE : 4-7-58


EXIST. ASPHALT ROAD
X-5 FLEXIBLE HOSE
NEW START STOP PB
GROUND TANK ACCORDING TO SPEC. SH-5-1
TANK NO. 0710
EXIST. CONCRETE PAD
EDGE OF GRADE BEAM
2"x2"x1/4" L PIPE SUPPORTS
REMOVE
EXIST. SUMP
℄ EL. PUMP SUCTION 662'-4"
KOH FEED PUMP (EXIST. PUMP) 0704
REPLACE EXIST. ELBOW WITH 8"x8"x4" JUNCTION BOX.
EXIST. START STOP P.B.
REMOVE EXIST. 2" DRAIN PIPE FROM Y-BRANCH TO SUMP
EXIST. LONG TURN 90° Y-BRANCH TURN 180° & PIPE TO SUMP LOCATED AT COL. BC
EXIST. 1" DIGEST SLURRY PIPE LINE
SUPPORT PIPE FROM EXIST. STEEL ABOVE
EXIST. PIPE & VALVES
EXIST. PIPE
EXIST. SUMP
STEEL WELDING FLG. ON PIPE.
HANG BELOW EXIST. STEEL
EXIST. 1" DIGESTIVE SLURRY PIPE LINE
WELD 1" S.S. WELDING FLANGE TO EXIST. 1" LINE & BLANK OFF ORIFICE.
FOR CONTINUATION OF 1" PIPING SEE SECOND FLOOR PLAN THIS DWG.
TO NEW P.B. LOCATED AT EXIST. HF SCRUBBER STORAGE. SEE PLAN 2nd FLOOR.
PLAN 1ST FLOOR
FINISHED FLOOR EL. 650'-0"
SCALE: 1/4"=1'-0"
PLAN
1/2" PIPE
CORRUGATED SIDING
EL. 654'-3"
6"[8.2 GIRT
CONDUIT
PIPE
ELEVATION SECTION -"A-A"
PIPE SUPPORTS
REMOVE HOSE CONNECTION & TURN EXIST. 1" ELLS AS INDICATED
EXIST. PLUG VALVE
NEW START STOP P.B. STATION
STORAGE EXIST.
DETAILED PIPING SKETCH
SCRUBBER STORAGE TANKS
431-470 SUMP PUMP
ELEMENTARY DIAGRAM
EXIST. ADD PUSH BUTTONS AS SHOWN
NEW. OUTSIDE AT TANK
EXIST. AT MOTOR
EXIST. MCC#1
STARTER EXIST. IN SPACE 9-D
NEW 8"x8"x4" J.B.
NEW. INSIDE AT SCRUBBER
SUMP PUMP 431-470
ONE LINE DIAGRAM
EXIST. ADD PUSH BUTTONS AS SHOWN
HEAVY DUTY PUSH BUTTON STATION, OILTIGHT, NEMA TYPE 4, (NO. INC.) MOMENTARY CONTACT, "START-STOP", LEGEND PLATE, CUTLER HAMMER BUL. 10250 OR APPROVED EQUAL.
FROM NEW JUNCTION BOX. FOR CONTINUATION SEE 1ST FLOOR PLAN THIS DWG.
THIS IS CONTINUATION OF 1" PIPING SHOWN ON FIRST FLOOR PLAN THIS DWG.
EDGE OF STEEL 2nd FLOOR
SUPPORT PIPING & CONDUIT FROM EXIST. STEEL ABOVE
ACCESS
CRANE
NEW START STOP P.B.
EXIST. HF SCRUBBER STORAGE TANKS. SEE DETAILED PIPING SKETCH BELOW.
PLAN 2ND FLOOR
T/S EL. 663'-8 11/16"
SCALE: 1/8"=1'-0"
NOTE
ALL PIPE LINES TO SLOPE 1/8" PER FT. TOWARD PUMP
SU-3-31 STEEL PIPING
SU-4-12 CARBON ST. PIPING CONST.
SU-3-22 STEEL PIPING MAT'L
Q-9-2 PIPING SUPPORTS
SC-8-1 VINYL COATING SYSTEM
SD-1-1 PIPELINE IDENTIFICATION
SH-4-1 ELEC. WIRING
SH-4-5 CONDUIT SUPPORTS
SH-5-1 GROUNDING
12-420-033 KOH HOLD TANK DETAILS
DWG. NO. TITLE
REFERENCE DRAWINGS
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MO. URANIUM DIVISION WELDON SPRING, MO.
ATOMIC ENERGY COMMISSION CONTRACT NO. W-14-108-ENG-8
7-9 AREA 403
KOH HOLD TANK
PLAN LOCATION
PIPING & ELECTRICAL
NO. REVISIONS BY CHKD. DATE
DRAWN CHECKED PROJ. ENGR. APPROVED APPROVED APPROVED
SCALE: NOTED
DWG. NO. 12-420-033-1



ELEVATION LOOKING NORTH

NOTE:

FOR EQUIPMENT SUPPORTS SEE M.C.W. DWG'S. # 82-420-022-10
82-420-022-16
82-420-022-17

FOR ADDITIONAL REFERENCE DWG'S. SEE # 82-420-022-2

(A) SHIM ALL EQUIPMENT TO ELEVATIONS AS SHOWN

REVISED AS BUILT DATE 5-9-60

NO.	REVISIONS	BY	CHKD	DATE
A	ADDED ELECT PANEL & NOTE (MOLTEN SALT REVISIONS)			
B	NO CHANGE	JJ		

	BY	DATE
DRAWN		
CHECKED		5-7-58
PROJ. ENGR.		5-7-58
APPROVED		
APPROVED		
APPROVED		
SCALE:	AS NOTED	

DWG. NO.	TITLE
REFERENCE DRAWINGS	

MALLINCKRODT CHEMICAL WORKS
ST. LOUIS MO — URANIUM DIVISION — WELDON SPRING MO
ATOMIC ENERGY COMMISSION CONTRACT NO. W-14-108 ENG. 8

2 — AREA 403
FLUID BED DENITRATOR
PILOT PLANT W S
ELEVATION LOOKING NORTH
AT COLUMN LINE "5"

DWG. NO. 82-420-022-4 — B

THIS DRAWING PRINTED IN RED INDICATES THE ISSUE TO BE "PRELIMINARY" PRINTED IN BLUE OR BLACK INDICATES THE ISSUE TO BE "OK FOR PURCHASE" & "CONSTRUCTION" UNLESS STAMPED TO THE CONTRARY

THIS DRAWING IS NOT TO BE REPRODUCED COPIED OR USED FOR ANY PURPOSE EXCEPT AS SPECIFIED BY THE MALLINCKRODT CHEMICAL WORKS



MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MO. URANIUM DIVISION WELDON SPRING, MO.
ATOMIC ENERGY COMMISSION CONTRACT NO. W-14-108-ENG-8
AREA 403
UO2 & UF4 FLUID BED
FLOW DIAGRAM
SHEET 1 of 2
REVISED AS BUILT DATE 5-10-60
REVISIONS
GENERAL
GENERAL
GENERAL
ADDED N2 PREHEATER 0258
NO CHANGE
DRAWN
CHECKED
PROJ. ENGR.
APPROVED
APPROVED
APPROVED
SCALE: NONE
REFERENCE DRAWINGS
THIS DRAWING PRINTED IN RED INDICATES THE ISSUE TO BE "PRELIMINARY" PRINTED IN BLUE OR BLACK INDICATES THE ISSUE TO BE "OK FOR PURCHASE" & "CONSTRUCTION" UNLESS STAMPED TO THE CONTRARY.
THIS DRAWING IS NOT TO BE REPRODUCED COPIED OR USED FOR ANY PURPOSE EXCEPT AS SPECIFIED BY THE MALLINCKRODT CHEMICAL WORKS.
TO ATMOSPHERE 630 CFM
DUST COLLECTOR
NO. TO VENT SOLENOID VALVE
ALARM HORN AU-31
INTERLOCK TO DUST COLLECTORS
VENT TO ATMOSPHERE
IGNITION SYSTEM
FLAME FAILURE TE-51
PROPANE SUPPLY
HOPPER GRAB X-60
TRANSFER HOPPER X-56
GEMCO VALVE X-2
UO2 FEED HOPPER
TACHOMETER X-8
REEVES DRIVE X-7
TO ZONE HEATER CONTACTORS
3 WAY VALVES X-50 & 51
PUROLATOR FILTERS X-11 & 12
REDUCTION FLUID BED REACTOR (HEATED BY EXTERNAL HEATERS) X-10
INTERNAL TAPERED SECTION
DIFFUSION PLATE X-9
N.C. VALVES
NH3 CRACKER
CRACKED NH3 (300 SCFH @ 10-15 psig)
EXP. JOINT X-66
VARI SPEED STAR VALVE DRIVE X-18
2" STAR VALVE X-19
TO DUST COLLECTOR (8CFM)
COOLING SCREW X-22
UO2 SAMPLER X-16
TO DUST COLLECTOR
VENT TO DUST COLLECTOR
UO2 SAMPLE PKG. STATION X-20
55 GAL. DRUM PACKAGING STATION X-21
INTERLOCKING HANDLE
AVERAGE 220 SCFH @ 10-15 psig MAX. 300 SCFH @ 11 psig
INERT GAS SUPPLY SYSTEM (EXIST.)
TR 8
TO HF NEUT. & DISPOSAL FACILITIES
MATCH LINE 92-220-018-1 SHEET 2
2" JT-11
N2 PREHEATER 0258
N2 PREHEATER 0189
TRANSFER HOPPER X-35
GEMCO VALVE X-26
UO2 FEED HOPPER X-26
TACHOMETER X-30
REEVES DRIVE X-29
TO ZONE HEATER CONTACTORS
3 WAY VALVES X-38 & 39
EXP. JOINTS
PUROLATOR FILTERS X-33 & 34
(WATER) 1/2" LT-1
(LOW PRESSURE STEAM) 1/2" LST-1
1" LT-2 TO FLASH TANK ITEM #3312-2
HYDROFLUORINATION FLUID BED REACTOR (HEATED BY EXTERNAL HEATERS) X-32
HYDROFLUORINATION FLUID BED HEATING FURNACE ITEM #0186
DIFFUSION PLATE X-31
T/S INTO EXIST. HF HIGH TEMP. SUPER HEATER (EXIST.)
EXP. JOINT X-41
2" STAR VALVE X-42
VARI-SPEED STAR VALVE DRIVE X-43
SINGLE CARBON TUBE FILTER X-44
TO E.H. HF HEATER (EXIST.)
COOLING SCREW X-46
5 SCFH @ 5 psig
UF4 SAMPLER X-47
TO DUST COLLECTOR (50 CFM)
TO DUST COLLECTOR (350 CFM)
UF4 SAMPLE PACKAGING STATION X-48
55 GAL. DRUM PACKAGING STATION X-49



REVISED AS BUILT
DATE 5-10-60

NO.	REVISIONS	BY	CHKD	DATE
A	No Change	JJ		5/10

	BY	DATE
DRAWN	PEARSON	11/26/59
CHECKED		11/11/59
PROJ. ENGR		11/11/59
APPROVED		11/11/59
APPROVED		11/11/59
APPROVED		
SCALE:	NO SCALE	

DWG. NO. | TITLE
REFERENCE DRAWINGS

MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MO. URANIUM DIVISION WELDON SPRING, MO
ATOMIC ENERGY COMMISSION CONTRACT NO W-14-108-ENG-8

APEX 423

UO_2 & UF_4 FLUID BEDS
FLOW DIAGRAM
SHEET 2 OF 2

DWG. NO. 92-420-018-1



BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
FOR
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
AND
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI
AREA 403
WET & DRY CHEMICAL PILOT PLANT
DIAGRAM
PRIMARY RE-EXTRACTION & SCRUBBING
OFFICIAL USE ONLY
AS BUILT
BLAW-KNOX CO.
APPROVED FOR AEC
APPROVED FOR MCW
REVISIONS
DRAWN
CHECKED
APPROVED
SCALE
NOTE:
EXISTING EQUIPMENT SHOWN IN DOTTED OUTLINE & ITEM Nos. BRACKETED.
STEAM REDUCING STATION
125 PSIG STEAM
TO TBP AREA USERS 40 PSIG
DETAIL "A"
FROM TANK COIL
CONDENSATE
TO LIFT STATION ON F.D. 1500-4
WASTE COOLING WATER
TO CONDENSER 3103 F.D. 1403-11
VENT HEADER
FROM DEIONIZED WATER STGE. TK. F.D. 1105-17
FROM WASH SOLUTION STGE. TKS. 3086-182 ON 1403-11
PROVIDE SPOOL PIECES OR FLEX CONNS.
WATER HEATER COOLER 3102
WATER HEATER COOLER 3121
ENTRAINMENT SEPARATOR [3477]
PULSE COLUMN [3087]
PULSE MECHANISM [431-46]
TO EXTRACT COOLER 3100 F.D. 1403-11
PULSE COLUMN [3088]
PULSE MECHANISM [431-46]
FROM ORGANIC EXTRACT HOLD TANK 3098 F.D. 1403-10
EXTRACT PUMP 431-464
NOX RECYCLE PUMP 431-448
NOX SCRUB TANK [3481]
NOX SCRUB COLUMN [3089]
NOX SCRUB COLUMN PUMP [431-43]
FROM DILUENT STGE. TK. 3083 F.D. 1403-11
TO CONTAMINATED DILUENT TANK 3130 ON F.D. 1403-11
RAFFINATE SCRUB TK. [3482]
RAFFINATE SCRUB COLUMN 3405
RAFFINATE SCRUBBER HEAD TK. [3483]
RECYCLE TO DECANTER D-6 3410 F.D. 1403-10
RAFFINATE SCRUB COLUMN PUMP [431-45]
RAFFINATE FEED PUMP [431-44]
FROM DECANTER 3410
RECOVERED SOLVENT CONDENSER 3104
TO LIFT STATION F.D. 1500-4
TO DECANTER 3166 ON 1403-11
SUMP TANK 3097
MUD EDUCTOR 431-459
FLOOR SUMP [3478]
GRATING
SUMP LIQUOR PUMP [431-60]
SERVICE WATER
PLATE & FRAME FILTER 421-9
WASH WATER STORAGE TK 3091
WASH WATER TRANSFER PUMP 431-454
TO AQUEOUS FEED TK. F.D. 1403-10
NOX STGE. TK 3092
NOX TRANSFER PUMP 431-455
FROM STRIPPED SOLVENT COLUMN 3446 ON F.D. 1403-11
SHOTGUN TANK [3484]
TO LIFT STATION ON 1500-4
RAFFINATE STGE. TK 3090
RAFFINATE TRANSFER PUMP 431-456
HOLD & SAMPLE TANK #1 3096-1
HOLD & SAMPLE TANK #2 3096-2
DECANTER 3094
TO HOLD TANK 3131 ON F.D. 1403-13
FILTER FEED PUMP 431-463
DISPOSAL PUMP [431-38]



NOTE

1. WHERE STEAM LINE BRANCHES DROP FROM HEADER, PROVIDE DRIP AT BOTTOM OF RISER OR AT EQUIPMENT AS REQUIRED.
2. ALL BRANCH PIPING SHOWN ON THIS PLAN SHALL CONNECT TO HEADERS OR EXTEND AND CONNECT TO OTHER LINES AS SHOWN ON REFERENCE DRAWINGS.
3. ALL STEAM AND AIR BRANCHES SHALL COME OFF THE TOP OF HEADERS.

NOTE

FOR GENERALS NOTES AND LEGEND SEE DRAWING # 7404-4

REFERENCE DRAWINGS

7404-1 7404-5
7404-3 7404-6
7404-4 7404-7
7404-8

AS BUILT
BLAW-KNOX CO.
BY: C. H. Martin

NO.	REVISIONS	MADE	CHK.	DATE
3	As Built	RE	CHN	3-1-58
2E	... TO ITEM 441-14 ...			
1	Customer Approval / General Revisions / Added			
2	General Revisions			
2A				
2B	Deleted ...			
2C	Replaced pipe ... HPA			
2D	Reinstated small blender & breakout areas			

APPROVED FOR AEC	DATE
D.W. Brown	9-20-56
APPROVED FOR MCW	DATE
L.G. Weber	9-20-56

	BY	DATE
DRAWN		9-18-56
CHECKED		9-18-56
APPROVED		9-18-56
APPROVED		
APPROVED		10-2-56
APPROVED		
SCALE	1/8" = 1'-0"	

BURNS AND ROE INC.
INDUSTRIAL DIVISION
BALTIMORE MD

BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.

FOR

U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE

AND

MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI

METALS PILOT PLANT AREA 404
PIPING
AIR, GAS, WATER, STEAM AND VACUUM
PLAN

CONT. No. 4.4.11 DWG. No. 7404-2 REV 3

NOTE: THIS DRAWING PRINTED IN RED INDICATES THE ISSUE TO BE "PRELIMINARY" PRINTED IN BLUE OR BLACK INDICATES THE ISSUE TO BE "OK FOR PURCHASE & CONSTRUCTION" EXCEPT AS NOTED OR STAMPED TO THE CONTRARY

PUBLICATION OR GENERAL DISSEMINATION OF INFORMATION CONTAINED ON THIS DRAWING IS PROHIBITED

FORM No. E-366-REV. 3 "P"



AS BUILT
BLAW-KNOX CO.
BY C.H. Martin

NOTE: For General Notes & Legend See Dwg. 7404-4.

REFERENCE DRAWINGS

7404-1, 7404-2, 7404-3, 7404-4, 7404-5, 7404-6, 7404-7

No.	Revisions	Made	Chk.	Date
A	Customer Approval			
B	General Revisions Added	AL	GSW	[illegible]
1	Chan'd Conn. to Drum Washer	D.S.	[illegible]	[illegible]
2A	Deleted Drum Washer 432-517	CT	KB	[illegible]
2B	Deleted Forge Press Coil			[illegible]
2C	Restored Drum Washer 432-517	PFG	CT	[illegible]
3	As Built	RP	[illegible]	[illegible]

Approved for AEC	D.W. Brown	Date 5-27-56
Approved for MCW	L.G. Weber	Date 5-26-56
Drawn	L.C. ·A.L.	9/25/56
Checked	GSW	9/25/56
Approved	[illegible]	[illegible]
Approved		
Approved	C.C. [illegible]	[illegible]
Approved	[illegible]	[illegible]
Scale	As Shown	

BURNS AND ROE INC.
INDUSTRIAL DIVISION
BALTIMORE 4, MD.

BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.

FOR

U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE

AND

MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI

METALS PILOT PLANT — AREA 404

PIPING DETAILS

CONT. No. 4411 — DWG. No. 7404-10 — 3

NOTE: This drawing printed in RED indicates the issue to be "preliminary"; printed in BLUE or BLACK indicates the issue to be "for purchase & construction" except as noted or stamped to the contrary.

PUBLICATION OR GENERAL DISSEMINATION OF INFORMATION CONTAINED ON THIS DRAWING IS PROHIBITED

FORM No. [illegible] - REV. 3 "P"

DRAWING No. 4411 - 7404-10



ELEVATION
LOOKING NORTH

02-410-009-23	Quench Tank Hood
-22	Main Piping Arrangement
-21	Rev. to Existing Equip. & Vent Ducts
-20	Escape Door and Salt Bath Shield
-19	Electrical Conduit Runs
-18	Elec. Elem. Diagrams and Wiring Diagrams
-17	Electrical One Line Diagrams
-16	Press Hydraulic Circuit
-15	Piping Details
-14	Piping Elevations
-13	Piping Plan
-12	Pulpit & Shield, and Sling Revisions
-11	New Platform, Equip. Layout & Ducts
-10	Manipulet Exhaust Vent & Salt Bath Vent
-9	Bridge Crane Inst. and Strongback
-8	New Access Platform & Modified Press Platform
-7	Area Preparation - Electrical
-6	Press Pit Steel & Fl. Plate & Misc. Steel
-5	Waterproofing Det., Salt Bath Pit, Quench Tank, Pad & Floor Rev.
-4	Press Pit Design
-3	General Arrangement - Elevation
-2	General Arrangement - Plan

REVISED AS BUILT 9/21/61 OCP

NO	REVISIONS	BY	CHK	DATE
	[illegible]			
	[illegible]			
C	[illegible]			

	BY	DATE
DRAWN	[illegible]	12-21-59
CHECKED	[illegible]	1-14-60
PROJ. ENGR.	[illegible]	2-15-60
APPROVED	[illegible]	[illegible]
APPROVED		
APPROVED		
SCALE	1/4" = 1'-0"	

MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MO. URANIUM DIVISION WELDON SPRING, MO.
ATOMIC ENERGY COMMISSION CONTRACT NO. W-14-108-ENG-8

AREA 404
FORGING FACILITIES
GENERAL ARRANGEMENT
ELEVATION

DWG. NO. 02-410-009-3 1C



32 410 028-005	GEN ARR ELEVATIONS
32 410 028-001	FLOW DIAGRAM
DWG. NO.	TITLE

REFERENCE DRAWINGS

MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MO. URANIUM DIVISION WELDON SPRING, MO

ATOMIC ENERGY COMMISSION CONTRACT NO. W-16-108-ENG-6

NO.	REVISIONS	BY	CHKD	DATE

	BY	DATE
DRAWN		
CHECKED		
PROJ. ENGR		
APPROVED		
APPROVED		
APPROVED		

SCALE: 1/8" = 1'-0"

2 404

ELECTROLYTIC PROTOTYPE GENERAL ARRANGMENT PLAN

DWG. NO. 32 410 028-002



ASSEMBLY SEQUENCE

1. Install cell in accordance with instructions MCW Dwg. 32-410-028-022.
2. Install anode jack support structure and shim as needed level within 1/16".
3. Set tapered section of feed chutes over studs with gaskets.
4. Set bottom flange for feed chutes over studs with gaskets and tighten nuts.
5. Lower feed chutes in place and screw into tightest position allowed by orientation of feed screw.
6. Shim between support angle and feed chute seat for 0.250" ± .005" gap for Belleville washer installation.
7. Release bottom flange and jack up feed chute and insert Belleville washers and pins at support seats and release jack.
8. Tighten nuts on feed chute bottom flange to compress gaskets.
9. Install clamp seat.
10. Place anode clamps in place.
11. Install jack seats.
12. Set cooling rings in place in Weber 48 cement grout seat.
13. Tap cooling rings into position so that the ring ℄ matches and the cooling ring plumb verticle.
14. Seal weld cooling ring as shown.
15. Install feed hopper, screw, and drive.
16. Install anodes with the anode seal slipped on over the first anode section (the jack seat will have to be removed for this) and hold with electrical clamp.
17. Install jacks on jack seats with jack ℄ on ℄ of anode pin hole.
18. Install cooling ring ducts.
19. Hang exhaust hood skirts.

DWG. NO.	TITLE
32-4.0-028-025	ELECTROLYTIC CELL COVER DETAILS
32-4.0-028-026	" " POT DETAILS
32-4.0-028-072	EXHAUST & FEED PORT HOOD
32-4.0-028-030	GRAPHITE ANODE DETAILS
32-4.0-028-035	ELECT. CLAMP & SEAT
32-4.0-028-034	ANODE JACK ASSEMBLY & SUPPORT
32-4.0-028-033	FEED HOPPER & SCREW DETAILS
32-4.0-028-032	FEED CHUTE & COOLING RING
32-4.0-028-023	CELL SUB-ASSEMBLY PLAN

REFERENCE DRAWINGS

MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MO. URANIUM DIVISION WELDON SPRING, MO.
ATOMIC ENERGY COMMISSION CONTRACT NO. W-14-108-ENG-8

NO.	REVISIONS	BY	CHKD	DATE		BY	DATE
					DRAWN	[illegible]	[illegible]
					CHECKED	[illegible]	[illegible]
					PROJ. ENGR	[illegible]	5/13/63
					APPROVED	[illegible]	[illegible]
					APPROVED		
					APPROVED		
					SCALE:	NOTED	

3 404
ELECTROLYTIC PROTOTYPE CELL SUB-ASSEMBLY SECTIONS

DWG. NO. 32-4 0-028-02

THIS DRAWING PRINTED IN RED INDICATES THE ISSUE TO BE "PRELIMINARY". PRINTED IN BLUE OR BLACK INDICATES THE ISSUE TO BE "FOR PURCHASE & CONSTRUCTION" UNLESS STAMPED TO THE CONTRARY.

THIS DRAWING IS NOT TO BE REPRODUCED, COPIED OR USED FOR ANY PURPOSE EXCEPT AS SPECIFIED BY THE MALLINCKRODT CHEMICAL WORKS.

Pour Furnace Installation Sequence:

1. Assemble "Pour Furnace Mold Top Heating Section".
2. Set "Lithofrax Isolator", detail 3-043, in groove of "Furnace Top Section" and fasten "Ball Joint Support Plate" in place.
3. Assemble and bolt "Pour Furnace Top" and "Pour Furnace Mold Top Heating Sections" together. Tighten bolts evenly so that interface between flanges has an 0.020 inch maximum variance. Check that no electrical continuity is present between flanges with an ohmmeter.
4. Set graphite "Ball Joint", detail 8-044, in place. "Ball Joint" to be assembled with hole in ball vertical and locking ring finger tight.
5. Screw 6" O.D. graphite tube, detail 1-044, into female half of "Temperature Compensating Coupling" and tighten.
6. Screw graphite "Connector Block", detail 4-044, into other end of 6" O.D. graphite tube, detail 3-044, and tighten.
7. Slip 1-1/2" O.D. graphite tube, detail 3-044, through 6" O.D. graphite tube, detail 1-044, and screw into graphite "Connector Block", detail 4-044, and tighten.
8. Slip two "Pour Tube Insulators", detail 2-043, and one "Pour Tube Insulator", detail 3-043 onto 1-1/2" O.D. graphite tube, detail 3-044.
9. Screw graphite "Connector Block", detail 2-044, to other end of 1-1/2" O.D. graphite tube, detail 3-044. Tighten "Connector Block" as much as possible while keeping centerline of unused threaded hole aligned with centerline of unused threaded hole in opposite end "Connector Block", detail 4-044.
10. While holding "Pour Tube Insulator", detail 3-043, carefully slip assembly into "Furnace Top" and loosely fasten "Temperature Compensating Coupling".
11. Screw 1-1/2" O.D. graphite tube, detail 5-044, into "Connector Block", detail 4-044. Do not tighten. Rotate "Pour Tube Assembly" until 1-1/2" O.D. graphite tube, detail 5-044, is vertical. Tighten "Temperature Compensating Coupling". Remove 1-1/2" O.D. graphite tube, detail 5-044.
12. Using care, slip finned section of tube assembly over 6" O.D. graphite tube, detail 1-044, and screw onto threaded end of "Temperature Compensating Coupling". Tighten.
13. Slip "Lithofrax Isolator Pins" through 1" diameter threaded tubes, insert socket head set screws and snug up evenly so that contact is just made with 6" O.D. graphite tube, detail 1-044.
14. Slip "Ceramic Isolator Tube", Item X-16, over tube end and secure with "Keeper Plate and Screw".
15. Assemble electrical connections per detail C-040, push "Insulator Blocks" as far back into 6" O.D. graphite tube as possible and fill void with Fiberfrax Fiber.
16. Assemble and secure pipe caps.
17. Set "Scale Platform and Lift", detail 1-043, and Scale Assembly Item No. X-13 on hydraulic cylinder, Item No. 1000 and bolt in place.
18. Lay Furnace Tracks, detail 2-044, in place and loosely fasten.
19. Set "Furnace Bottom" on tracks and roll to south end of pit.
20. Set "Furnace Assembly" into position over center of hydraulic cylinder and level lower gasket surface of "Pour Furnace Mold Top Heating Section" while centering the "Refractory Tube", Item X-16, in the "Cell Pour Tube Hole" by shimming under "Furnace Body Supports". Bolt in place.
21. Loosen "Guide Pins" on "Scale Platform and Lift", detail 1-043. Move "Furnace Bottom" over lift pins and raise unit with hydraulic cylinder until flanges are approximately 0.050" apart. "Center Furnace Bottom" with "Furnace Top Assembly" and shim under lift pins so that gap between flanges of furnace halves has a maximum variance of 0.015". Tighten "Lift Pin Bolts".
22. Lower "Furnace Bottom" onto tracks, level and space tracks so that "Furnace Bottom" transverses pit length easily. Bolt tracks in place.
23. Install Furnace "Transfer Mechanism".
24. Locate and install track stops at limiting points of "Furnace Bottom" travel.





NOTE:
SEE 2404-10 FOR NOTES AND REFERENCE DWGS.

NO.	REVISIONS	MADE	CHK.	DATE
1	GENERAL REVISIONS ADDED ENGNG. MCW & AEC APPROVAL	R.Z.		8-6-56
2	CUSTOMERS COMMENTS ADDED	L.C.		9-23-56
3	Engineering Review Comments Added			
3A	[illegible]	KT	RB	
3B	[illegible]			
4	As Built	RE	KHM	5-58

APPROVED FOR AEC	DATE
D.W. BROWN	7-17-56
APPROVED FOR MCW	DATE
L.G. WEBER	7-16-56

	BY	DATE
DRAWN		6-27-56
CHECKED		6-29-56
APPROVED	BOYLE	7-2-56
APPROVED	C. WHYTE	7-6-56
APPROVED		
APPROVED		7-2-56
SCALE	1/4" = 1'-0"	

BURNS AND ROE INC
INDUSTRIAL DIVISION
BALTIMORE, 4 MD.
FOR
BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
FOR
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
AND
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI

METALS PILOT PLANT — AREA 404
MECHANICAL EQUIPMENT
BREAKOUT AREA SECTIONS

CONT. No. 1411 — DWG. No. 2404-16 — REV. 4

NOTE: THIS DRAWING PRINTED IN RED INDICATES THE ISSUE TO BE "PRELIMINARY" PRINTED IN BLUE OR BLACK INDICATES THE ISSUE TO BE "OK FOR PURCHASE & CONSTRUCTION" EXCEPT AS NOTED OR STAMPED TO THE CONTRARY

PUBLICATION OR GENERAL DISSEMINATION OF INFORMATION CONTAINED ON THIS DRAWING IS PROHIBITED

1411 2404-16

3.2 Building/Area: Metallurgical Pilot Plant - Building 404

DESCRIPTION: The Metallurgical Pilot Plant was designed for pilot-scale testing of methods and processes used for uranium metal production. Pilot-scale versions of some of the Building 301 Metal Plant's production-scale systems are present in Building 404.

CHEMICAL SYSTEMS: A large metal vat is present in the south end of the building. It is partially filled with non-chemical debris. This vat was once a reactor lined with graphite blocks. It was one of two prototype systems housed in Building 404 for the electrolytic conversion of UO_2 to uranium metal. The other electrolytic cell appears to be intact, and is located at the north end of the building. A blender and bomb filling station is located in the center of the building. In this station, UF_4 and metallic magnesium were blended and loaded into a MgF_2 lined reaction bomb. Sodium/potassium alloy (NaK) was used in a system in Building 404, however its purpose is not known. A slag breakout/slag grinder and conveyor system is also present. A sump slurry neutralization/precipitation vat is located outside of Building 404 on the west side of the building. Sump slurry pump-out lines carried waste water and sediments from the sumps to the precipitation vat.

ANALYSIS/OBSERVATIONS:

Only radioactive residues are present.

No NaK was observed in the NaK system. No metallic magnesium was observed. The neutralization/precipitation tank was empty and open to the elements (rain and snow). PCB contamination above the 100 $\mu g/100\ cm^2$ cleanup level was found in only one of five sample locations.

SUPPORTING DOCUMENTS: See the following drawings.

3.3 Building/Area: Pilot Plant Auxiliaries - Building/Area 405

DESCRIPTION: The pilot plant auxiliary facilities included several bag houses for controlling dust in the two pilot plant buildings. Building 405 appears to have been a research support building, with an office area and storage space for spare pilot plant equipment. An open storage pad area is also present.

CHEMICAL SYSTEMS: Large bag houses for dust collection from Buildings 403 and 404.

OBSERVATIONS/ANALYSIS: The bag houses were emptied and cleaned out during plant shut down. These units are radiologically contaminated. Three of five samples taken for PCB analysis were >100 $\mu g/100cm^2$. No other chemical concerns were observed that would impact demolition.

SUPPORTING DOCUMENTS: None.

3.4 Building/Area: Laboratory - Building 407

DESCRIPTION: The laboratory provided facilities for the following purposes:

1. Testing of raw materials.
2. Production control analysis.
3. Testing of final products.
4. Assistance in solving production problems.
5. Testing associated with pilot plant operations.
6. Development projects.

CHEMICAL SYSTEMS:

This building does not contain process related equipment or piping. There are two metal heat treating devices which may require special cleaning prior to placement in the material staging area. They may contain residual heat treating chemicals, among the debris that was thrown inside them.

The piping in the laboratory building is almost exclusively utility piping; primarily water, steam, air, fuel gas, ethylene glycol brine, and vacuum lines.

A rooftop dust collector served the down-draft tables in several areas of the building.

Specially configured fume hoods were provided to support the use of perchloric acid in analytical procedures.

Lead piping, especially sink traps are installed in many of the sinks.

Elemental mercury was used extensively in the laboratory building, and extensive mercury contamination has occurred as a result.

OBSERVATIONS/ANALYSIS: Hg spills are extensive, and must be cleaned prior to building demolition when benches are removed. Radiologically contaminated equipment and debris is present throughout; in particular, lab hoods are full of debris and extremely radioactive.

The exhaust stacks tied to the perchloric acid ($HClO_4$) hoods are very conspicuous on the roof of the laboratory building. Each hood has its own ejector stack, which is made of aluminum and fitted with a water sprayer. The ejectors are approximately 11 ft tall above roof level. The configuration of the perchloric acid ventilation system is shown in the attached drawing. It appears that the vent pipes are oriented vertically to prevent condensation from being retained in the piping, and the fans did not come in contact with the perchloric acid off gases.

There are 14 perchloric acid hoods in the laboratory building. As part of the demolition of the laboratory, the perchloric acid hoods will each be steam cleaned and tested to assure that any residual perchlorate compounds that may be present are removed. A specific procedure for this effort will be incorporated in the *Safe Work Plan* based on National Fire Protection Association (NFPA) 45, *Standard on Fire Protection for Laboratories Using Chemicals*, Chapter 6-12 and A-6-12.2.

Due to the possibility of shock sensitive residues in the lead piping, special safety measures will be needed during demolition and material handling. These procedures may entail the use of blast shields or remote shearing devices. Sampling was not attempted because a safe and effective means of collecting samples was not available.

Penthouse A contained PCB transformers and requires thorough decontamination.

Essentially all other items which posed a chemical hazard were removed during chemical consolidation projects.



FIRST FLOOR PLAN PART A
P = Perchloric Acid Hoods
ACCEPTANCE TESTING LAB.
METHODS DEVELOPMENT LAB
INSTRUMENT RM.
MASS SPECTROGRAPH LAB
X-RAY LAB (ANALYTICAL)
CARBON LAB
NITROGEN LAB
CONTROL LAB
SAMPLE STORAGE VAULT
LABORATORY SERVICE RM.
DISHWASHING ROOM
POWDER SAMPLE ROOM
METAL SAMPLE RM.
OVEN RM.
SOUTH CORRIDOR
WEST CORRIDOR
CENTRAL CORRIDOR
CLASS B WALL
MATCH LINE
PART "C" SEE DWG: 8407-63
PART "D" SEE DWG: 8407-64
ELEVATION
SECTION (AJ)
NON-STANDARD MOVABLE PARTITION
TYPICAL LINTEL
CONCRETE LINTEL BLOCK
LIVE LOAD SCHEDULE
FIRE PROTECTION SCHEDULE
SYMBOLS
FLOOR DRAINS
SAFETY SHOWERS
EYE WASH FOUNTAINS
GENERAL NOTES
FOR WALL CLASSIFICATION SEE SPECIFICATIONS.
ALL DUSTPROOF DOORS TO HAVE TYPE T-9 THRESHOLDS.
SECTION (D)
DETAILS OF PASS WINDOW
ELEVATION
SECTION (E)
DETAILS OF PASS WINDOW
PLAN OF SHELF
DETAIL (5)
PASS WINDOW REFER TO SPECS.
BARREL LATCH
MATCH LINE KEY PLAN
AS BUILT
BLAW-KNOX CO.
BY: C.H. Martin
BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI
LABORATORY BLDG. AREA 401
ARCHITECTURAL
FIRST FLOOR PLAN PART-A
SCALE AS NOTED
4411
8407-61


FIRST FLOOR PLAN - PART B 1/8"=1'-0"
SPECIAL ANALYSIS LAB.
WET CHEMISTRY LAB.
TRACER LAB
COUNTING RM.
WET CHEM SEC. OFFICE
METAL SEC. OFFICE
CHANGE
NORTH CORRIDOR
CENTRAL CORRIDOR
WEST CORRIDOR
CALC. RM.
SPEC. ANALYSIS LAB. OFFICE
BORON LAB
DUSTPROOF
ETHER LAB
STATISTICIANS OFFICE
BAL. RM
ACCOUNTABILITY LAB.
GAS ANALYSIS LAB
MEN'S TOILET RM
CLASS D WALL
MATCH LINE
PART "C" SEE DWG. 8407-63
PART "D" SEE DWG. 8407-64
PART "A" SEE DWG. 8407-61
NORTH
NORTH ELEVATION OF TOILET RM 80-B SCALE: 1/4"=1'-0"
SHOWER CABINET
METAL SCREEN
CEILING
DETAIL PLAN 1/4"=1'-0"
NON-SPARKING STATIC CONDUCTING CONC. FL. & CURB
CONC. BASE
CURB
CONC. CURBS
SECTION 3"=1'-0"
SECTION 3"=1'-0"
SECTION 3"=1'-0"
MATCH LINE - KEY PLAN
PART A DWG. 8407-61
PART B
PART C DWG. 8407-63
PART D DWG. 8407-64
P = Perchloric Acid Hoods
AS BUILT
BLAW-KNOX CO.
NOTE: FOR EXTERIOR DOOR JAMB DETAILS NOT INDICATED ON STANDARD DOOR SHEET & FOR ENTRANCE CANOPIES & STOOP DETAILS SEE DWG. 8401-68 THE FOLLOWING DOORS ON THIS SHEET APPLY.
FOR GENERAL NOTES AND TYPICAL LINTEL SEE DWG. 8407-61
SEE NOTE ON DWG. 8407-61
BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
FOR
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
AND
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI
LABORATORY BLDG. AREA 407
ARCHITECTURAL
FIRST FLOOR PLAN PART-B
CONT. No. 4411
DWG. No. 8407-62
APPROVED FOR AEC R. D. SHEAHAN 9-15-55
APPROVED FOR MCW E. C. BARNETT, JR.
REVISIONS
DRAWN WILLMAN
CHECKED
APPROVED MILLER
SCALE AS NOTED
NOTE:
PUBLICATION OR GENERAL DISSEMINATION OF INFORMATION CONTAINED ON THIS DRAWING IS PROHIBITED
4411 · 8407-62


FIRST FLOOR PLAN PART C 1/8"=1'-0"
METALLURGICAL TESTING
DRY CHEMISTRY LAB.
CERAMICS LAB.
LIBRARY
SECTION OFFICE
READING RM.
CONFERENCE RM.
CHEM. MICROSCOPY
VACUUM FUSION
INSTRUMENT RM.
GLASS BLOWING
ELECTRON MICROSCOPY
DARK RM.
SEC. OFFICE
NORTH CORRIDOR
CENTRAL CORRIDOR
SAMPLE MACH. AREA
FILM & SPECIMEN STG.
PHYSICAL TEST
METALLURGICAL MICROSCOPY
PHOTO STUDIO
GRINDING RM.
POLISHING ROOM
FILM DARK RM.
HAZARDOUS REACTION
DETAIL 2 1 1/2"=1'-0"
TYPICAL FOR HIGH CLG.
MATCH LINE
PART "D" SEE DWG: 8407-62
PART "A" SEE DWG: 8407-61
PART "D" SEE DWG: 8407-64
AS BUILT
BLAW-KNOX CO.
BY: C.H. Martin
FOR EXTERIOR DOOR JAMB DETAILS NOT INDICATED ON STANDARD DOOR SHEET & FOR ENTRANCE CANOPIES & STOOP DETAILS, SEE DWG: 8407-68
THE FOLLOWING DOORS ON THIS SHEET APPLY
SEE DWG: 8407-61
FOR GENERAL NOTES & TYPICAL LINTEL SEE DWG 8407-61
MATCH LINE KEY PLAN
BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI
LABORATORY BLDG. AREA 407
ARCHITECTURAL
FIRST FLOOR PLAN PART C
8407-63
SCALE AS NOTED
P = Perchloric Acid Hood Location


NORTH
SECTION K
SCALE: 3/4" = 1'-0"
TYP. AT EXPANSION JT. ONLY CLASS 'D' WALL
ALUMINUM BATTEN AT EXPANSION JOINT
CLASS 'D' WALL
WOMEN'S LOCKER ROOM
WOMEN'S TOILET
WOMEN'S REST ROOM
PAPER DARK ROOM
X-RAY LAB DEVELOPMENT
X-RAY SAMPLE PREP.
SERVICE ROOM
OFFICES
SOUTH CORRIDOR
GENERAL OFFICE
INFRA-RED LAB
SPECTROGRAPH LAB OFFICE
SAMPLE PREP ROOM
ELECTRODE SHOP
SPECIAL PASSAGE
SAMPLE PREP LAB
DENSITOMETER ROOM
QUANTOMETER ROOM
CHEMICAL LAB
SPECTROGRAPH ROOM
DARK ROOM
PART "A"
MATCH LINE
FIRST FLOOR PLAN PART D 1/8" = 1'-0"
ADMINISTRATION-LABORATORY PASSAGE
ADM. BLDG. AREA 409
DETAIL 4
DETAIL 1
NOTE: SLOT WEB OF 12" C AT EXPANSION JOINT. FOR DETAIL OF CONNECTION SEE SECT. B, DWG. 8407-38
DETAIL OF C-C-S ALUM.
ELEVATION
SECTION C
SECTION J
BASE FOR SINGLE ROW OF LOCKERS
BASE FOR DOUBLE ROW OF LOCKERS
SECTION B
DETAILS OF LOCKERS
SEE DWG. 8407-61 FOR GENERAL NOTES & TYPICAL LINTEL SEE SHEET 8407-61
DETAIL 36
TYP WINDOW MULLION
DETAIL 37
TYP WINDOW JAMB
DETAIL 8
CORNER MULLION
NOTE: FOR EXTERIOR DOOR JAMB DETAILS NOT INDICATED ON STANDARD DOOR SHEET AND FOR ENTRANCE CANOPIES & STOOPS, SEE DWG. 8407-68 THE FOLLOWING DOORS.
PART B
PART C
PART A
PART D
KEY PLAN
AS BUILT
BLAW-KNOX CO.
BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
FOR
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
AND
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI
LABORATORY BLDG. AREA 407
ARCHITECTURAL
FIRST FLOOR PLAN PART-D
CONT. NO. 4411
DWG. NO. 8407-64
SCALE AS NOTED
P = Perchloric Acid Hood Location


NORTH
ELECTRICAL EQUIPMENT ROOM
AIR SHAFT
FOR H&V EQUIPMENT IN THIS SECTION SEE DWG Nº 4407-16
FOR H&V EQUIPMENT IN THIS SECTION SEE DWG Nº 4407-17
FOR H&V EQUIPMENT IN THIS SECTION SEE DWG Nº 4407-15
FOR H&V EQUIPMENT IN THIS SECTION SEE DWG Nº 4407-18
UNIT HEATER ITEM Nº 471-128 MTG. HT. 9'-3" ABOVE FIN. FL.
STORAGE TANK Nº 1
STORAGE TANK Nº 2
HOT WATER HEATER ITEM Nº 442-118
CIRCULATOR PUMP ITEM Nº 431-389
6'-0"×7'-0" DOOR
- NOTES -
1- FOR GENERAL NOTES & DWG. REFERENCES SEE DWG. Nº 4407-4
DENOTES FLOOR DRAIN.
AS BUILT
BLAW-KNOX CO.
BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
FOR
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
AND
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI
LABORATORY BLDG AREA 407
MECHANICAL EQUIPMENT
EQUIPMENT ARRANGEMENT-PENTHOUSE PLAN
CONT. No. 4611
DWG. No. 4407-27
SCALE 1/4" = 1'-0"
APPROVED FOR AEC D.W. BROWN
APPROVED FOR MCW V. J. CAPLAN
REVISIONS
2 ADD 24" ø DUCT
3 AS BUILT
NOTE: THIS DRAWING PRINTED IN RED INDICATES THE ISSUE TO BE "PRELIMINARY" PRINTED IN BLUE OR BLACK INDICATES THE ISSUE TO BE "OK FOR PURCHASE & CONSTRUCTION" EXCEPT AS NOTED OR STAMPED TO THE CONTRARY.
PUBLICATION OR GENERAL DISSEMINATION OF INFORMATION CONTAINED ON THIS DRAWING IS PROHIBITED
FORM No. E-300-REV. 3
"P"




AS BUILT
BLAW-KNOX CO.
BY: C. H. Martin

NOTES

NO 1 SERVICE WATER PIPING TO SPRAY NOZZLES MUST HAVE DRAIN VALVE INSTALLED TO PREVENT FREEZE UP OF SPRAY LINE WHEN NOT IN USE.

NO 2 SECONDARY DUCT WORK FROM EJECTOR TO HOOD EXHAUST TO BE WELDED, FLANGED & GASKETED 10 GA ALUMINUM SHEET METAL CONSTRUCTION.

NO 3 PRIMARY SHEET METAL DUCT WORK FROM PRESSURE BLOWER TO EJECTOR TO BE 14 GA. GALVANIZED, RIVETED, SOLDERED, FLANGED AND GASKETED CONSTRUCTION. IMPORTANT PROVIDE INSULATING SLEEVES & WASHERS FOR FLANGE BOLTS WHERE IRON AND ALUMINUM PIPING CONNECT TO PREVENT ELECTROLYSIS ACTION ON MATERIALS.

NO 4 WHEN EJECTORS ARE ANCHORED IN POSITION COVER TOPS OF HOLD DOWN BOLTS & WASHERS WITH MASTIC FOR LEAK-PROOF SEAL.

NO 5 PROVIDE INSULATING SECTION IN PIPING BETWEEN DRAIN CONNECTION & DRAIN PIPING.

NO 6 FOR COMPLETE LIST OF DWGS FOR LOCATION & DUCT WORK SEE DWG 4407-4.

NO 7 USE SLIP ON FLANGES WHERE REQUIRED FOR DIMENSIONAL PURPOSES

NO.	REVISIONS	MADE	CHK	DATE
1	GENERAL AS PER CUST. APPROVAL COMMENTS	BM	KMK	10-31-55
2	ADDED DTL 2/4407-36	BM	KMK	11-4-55
3	NOTE ADDED	BM	WQ	1-27-56
4	AS BUILT	RF	[illegible]	4-7-60

APPROVED FOR AEC	DATE
D.W. BROWN	10/25/55
APPROVED FOR MCW	**DATE**
K.J. CAPLAN	10/25/55

	BY	DATE
DRAWN	MASIELLO	10-29-55
CHECKED	KIRKLAND	10-20-55
APPROVED	BOYLE	10-20-55
APPROVED		
APPROVED	[illegible]	10-28-55
APPROVED	[illegible]	10-29-55
SCALE	1" = 1'-0"	

BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.

FOR

U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE

AND

MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI

LABORATORY BLDG — AREA 407
HEATING & VENTILATING
EJECTOR DESIGN & MISC. DETAIL
PLAN, ELEV. & SECTIONS

CONT. No. 4911 | DWG. No. 4407 - 28 | REV 4

NOTE: THIS DRAWING PRINTED IN RED INDICATES THE ISSUE TO BE "PRELIMINARY" PRINTED IN BLUE OR BLACK INDICATES THE ISSUE TO BE "OK FOR PURCHASE & CONSTRUCTION" EXCEPT AS NOTED OR STAMPED TO THE CONTRARY.

PUBLICATION OR GENERAL DISSEMINATION OF INFORMATION CONTAINED ON THIS DRAWING IS PROHIBITED

1411-4407-28

SUPPORTING DOCUMENTS: See the following drawings.

3.5 Building/Area: Maintenance and Storage - Building 408

DESCRIPTION: Building 408 housed various maintenance shops, including an automotive maintenance shop, maintenance equipment, and storage for supplies such as spare parts.

CHEMICAL SYSTEMS: This building does not contain process related equipment or piping. Numerous pieces of equipment contain oily residues.

OBSERVATIONS/ANALYSIS: Several areas are designated for PCB cleanup. No other chemical concerns were noted. Essentially all miscellaneous items which posed a chemical hazard were removed during chemical consolidation projects conducted under the WSSRAP.

SUPPORTING DOCUMENTS: See the following drawings.

3.6 Building/Area: Services Building - Building 410

DESCRIPTION: The services building housed the following facilities: cafeteria, health department, guard house, gate house, men's change rooms, shower and laundry facilities.

CHEMICAL SYSTEMS: This building does not contain process related equipment or piping. Some oily medical laboratory equipment is present, such as the x-ray machine. A perchloric acid hood is present in the north west corner of the building in the medical services area.

OBSERVATIONS/ANALYSIS: One wall in the x-ray room contains a lead shield to protect the x-ray technician from exposure to x-rays. All PCB data is below the 100 $\mu g/100\ cm^2$ cleanup criteria. No other chemical concerns were noted. Essentially all miscellaneous items which posed a chemical hazard were removed during chemical consolidation projects conducted under the Weldon Spring Site Remedial Action Project (WSSRAP).

SUPPORTING DOCUMENTS: See the following drawings.



PLAN

H.P. FIN. FLOOR ELEV. 637'-0"
SCALE 1/16" = 1'-0"

FIRE PROTECTION SCHEDULE

- 1 = SODA ACID - 2½ GAL.
- 2 = CO₂ - 15#
- 3 = DRY POWDER #20

DEPRESSED TRUCKWELL
SEE DWG. 8514-2 FOR PAVED AREA
SEE DWG. 8608-16 E FOR DOCK.

LIVE LOAD SCHEDULE

FLOOR 1000 PSF IN STORAGE AREA
500 PSF ALL OTHER OR 10,000# STATIC EQUIVALENT WHEEL LOAD
ROOF - 20 PSF
WIND - 20 PSF

NOTES.
- FIRE WALLS & WALLS MARKED (1) EXTEND TO UNDERSIDE OF ROOF DECK.
- FOR WINDOWS W-4 IN MASONRY PARTITIONS SEE DETAIL 20 ON DWG. 8608-6Z.
- FOR FL. ELEV. AND FL. DRAIN LOCATIONS SEE DWG. NO. 7405-1
- FOR LINTEL SCHEDULE SEE DWG. 8408-6Z
- ALL WATER CLOSETS ARE TO BE FLOOR MOUNTED SEE SPEC. 4411-P-1
- FOR DESIGN, MATERIALS, ERECTION, FABRICATION & GENERAL NOTES, SEE SPECS.
- ALL MASONRY PARTITIONS, UNLESS NOTED, TO BE TYPE Z UNRATED PARTITIONS

AS BUILT
BLAW-KNOX CO.
[illegible signature]

NO	REVISIONS	MADE	CHK	DATE
1	ADDED CUSTOMERS CHANGES	F.C.B.	ARB	6-3-55
2	[illegible]	[illegible]	[illegible]	7-1-55
3	GENERAL REVISION	[illegible]	ARB	7-15-55
4	ADDED CURBS, RELOCATED [illegible]	MJK	[illegible]	11-3-55
5	CHANGED DIMENSIONS & CORRECTED DOOR SIZES	[illegible]	[illegible]	10-11-57
6	As Built	[illegible]		[illegible]

APPROVED FOR AEC	DATE
G.H. HILTON	6-1-55
APPROVED FOR MCW	DATE
G.E. BROWN	6-1-55

	BY	DATE
DRAWN	[illegible]	[illegible]
CHECKED	[illegible]	[illegible]
APPROVED	[illegible]	[illegible]
APPROVED	[illegible]	[illegible]
APPROVED		
APPROVED		
SCALE	AS NOTED	

BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
FOR
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
AND
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI

MAINTENANCE & STORES AREA 4X
ARCHITECTURAL
FLOOR PLAN

CONT. No. 4411 | DWG. No. 8408-51 | REV. 6

NOTE: THIS DRAWING PRINTED IN RED INDICATES THE ISSUE TO BE "PRELIMINARY". PRINTED IN BLUE OR BLACK INDICATES THE ISSUE TO BE "OK FOR PURCHASE & CONSTRUCTION" EXCEPT AS NOTED OR STAMPED TO THE CONTRARY

PUBLICATION OR GENERAL DISSEMINATION OF INFORMATION CONTAINED ON THIS DRAWING IS PROHIBITED

DRAWING NO. 4411-8408-51

FORM No. E-360-REV 8 "P"



PLAN
EQUIPMENT LOCATION IN ROOM 101B
Scale - 1/4" = 1'-0"



ELEVATION (A/001)
Scale - 1/4" = 1'-0"



PLAN
EQUIPMENT LOCATION ON ROOF
Scale - 1/4" = 1'-0"



DETAIL (2/001)
EJECTOR SUPPORT
Scale - 3/4" = 1'-0"



DETAIL (3/001)
BLOWER SUPPORT
Scale - 1" = 1'-0"



DETAIL (1/001)
FRESH AIR DUCTWORK
Scale - 1" = 1'-0"



DETAIL (4/001)
EJECTOR TO HOOD CONN.
MAT'L - ALUM. 10 ga
Scale - 3/4" = 1'-0"

ELECTRICAL NOTES

1) Where a conduit enters a box or other fitting, an insulated bushing shall be provided to protect the wire from being damaged.
2) All cut ends of conduit shall be reamed to remove rough edges.
3) Receptacle to be single, twist lock, polarized, 14, 115V, 10A, 3 wire, Hubbell 7582G, or approved equal with flush brass plate.
4) Receptacle to be 220V, 20A, 14, 3 wire, Appleton No. AE352, Style 2, Form B or approved equal.

GENERAL NOTES

1) Exhaust ductwork to be as per MCW Spec. SL-8-6 (except as noted). Supply ductwork to be as per MCW Spec. SL-8-11 (except as noted).
2) Provide insulating sleeves & washers for flg. bolts where iron & aluminum duct connect to prevent electrolysis action on materials.
3) Recaulk all transite joints in hood with Sauereisen Cements Co acid proof cement, 75% No. 31 filler, 25% No. 31 binder. Mix & apply above 50°F ONLY.
Note: Cement has short pot life: 45 min. 60° to 70° F; 30 min. 70° to 80° F
4) Paint all interior surfaces of hood with Carboline Epoxy Paint No. B15, 2 coats. Caution: Do not use a vinyl primer.

DWG. NO.	TITLE
SL-8-6	Exhaust duct spec.
SL-8-11	Supply duct spec.
SW 4-1	Electrical specs
SP-8-8	Poured gypsum roof specs.
42-650-011-003	Area preparation
42-650-011-002	Piping
SL-8-1	Painting spec
SL-8-16	Flashing Fig VII

REFERENCE DRAWINGS

NO.	REVISIONS	BY	CHKD	DATE

	BY	DATE
DRAWN	J. Gunesch	3-30-64
CHECKED		
PROJ. ENGR.	[signature]	4-16-64
APPROVED	[signature]	4-14-64
APPROVED	[signature]	
APPROVED		
SCALE:	Noted	

MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MO — URANIUM DIVISION — WELDON SPRING, MO
ATOMIC ENERGY COMMISSION CONTRACT NO. W-14-108-ENG-8
2-4-6-9 AREA 410
HEALTH DEPT PERCHLORIC ACID HOOD
LOCATION & INSTALLATION
DETAILS & ELECTRICAL
DWG. NO. 42-650-011-001

3.7 Building/Area: Paint Shop - Building 417

DESCRIPTION: The paint shop supported plant maintenance functions, which included applying coatings to various pieces of equipment, containers, fixtures, etc. The building is divided into a general storage section, and work space. The work section is equipped with a spray booth and spray equipment.

CHEMICAL SYSTEMS: This building does not contain process related equipment or piping. Some oily residues and dried/hardened paint spills are present on the floors.

OBSERVATIONS/ANALYSIS: Several areas are designated for PCB cleanup. The spray painting booth requires cleaning, to remove filters and over-spray dust, prior to placement in the MSA. No other chemical concerns were noted. Essentially all miscellaneous items which posed a chemical hazard were removed during chemical consolidation projects conducted under the WSSRAP.

SUPPORTING DOCUMENTS: None.

3.8 Building/Area: Ambulance Garage - Building 430

DESCRIPTION: This is a cinder block building designated as a garage for the chemical plant's ambulance service. It could house two ambulances.

CHEMICAL SYSTEMS: No chemical systems are present.

OBSERVATIONS/ANALYSIS: No PCB contamination areas were detected. No other chemical impacts affecting demolition were observed.

SUPPORTING DOCUMENTS: None.

3.9 Building/Area: Proof Samplers - Buildings 431 and 432

DESCRIPTION: The proof samplers housed automated sampling equipment for taking periodic samples of process sewer and sanitary sewer water, prior to discharge from the site. Laboratory personnel analyzed the waste water for uranium content to ensure that the

concentration of uranium in the waste stream did not exceed 1 g/l. Traces of other process chemicals were also measured periodically, primarily to monitor process efficiencies. There are three proof samplers serving different areas and systems on the chemical plant site. Building 431 proof sampler sampled the laboratory waste water and sewer lines serving Building 407. The Building 432 proof sampler sampled the sanitary sewer system tied to the Imhoff sewage treatment facility.

CHEMICAL SYSTEMS: The proof sampler stations consist of a reinforced concrete structure, flume, flow orifices, pumps, and auxiliary instrumentation below ground, covered by a small prefabricated steel housing. The above ground structures house a proof sampler enclosed in a cabinet, a storage tank (s.s. vat), and instrumentation.

ANALYSIS/OBSERVATIONS: The tanks in Buildings 431 and 432 were empty and no visible residue was present. During plant operation the tank in Building 431 would have contained highly dilute solutions of process chemicals, laboratory reagents, thorium, and uranium compounds. The tank in Building 432 would have contained composites of the sanitary sewer discharge water. The sanitary sewer system was isolated from the process waste streams. These two stainless steel vats will be cleaned to pass a radiological survey as part of the demolition.

SUPPORTING DOCUMENTS: None

3.10 Building/Area: Storage - Building 433

DESCRIPTION: Building 433 was used to store maintenance vehicles and smaller mechanical components.

CHEMICAL SYSTEMS: No chemical systems are present. Several oily spill areas were noted during previous investigations.

OBSERVATIONS/ANALYSIS: All of the areas tested for surface PCB contamination had no detectable PCB.

SUPPORTING DOCUMENTS: None.

4 DEMOLITION PACKAGE 3 BUILDINGS

4.1 Building/Area: Green Salt Plant - Building 201

DESCRIPTION: The green salt plant was designed for conversion of orange oxide (UO_3), from the denitration process in Building 103, to brown oxide (UO_2), and brown oxide to green salt (UF_4).

CHEMICAL SYSTEMS:

Level 1 - Green salt systems: hoppers, weighing hoppers, screw conveyors, and drum filling station,

Hydraulic system: oil reservoirs, piping and filters.
Freon 22 system: pump, condenser and compressor.
Water softener system.
Lime slurry mixing tanks and sump slurry neutralization tanks.
Anhydrous hydrofluoric acid superheaters and vaporizer system.
Anhydrous ammonia dissociation system.
HF rundown tanks from azeotrope distillation system.
Sumps.

Level 2

Hydrofluorination reactors and AHF piping.
UF_4 to UO_2 reverter (R-10) and electric superheater for steam.
Dryers and weighing hoppers.
Hydraulic powered screw conveyors.
Vacuum pumps.
Vacuum cleaning system, dust collectors and piping.
Lime slurry make-up tank.

Level 3

HF reactors and AHF piping.
HF azeotrope distillation system .
Feed hoppers.
HF holding tanks (rubber lined).
Hydrogen distribution system, valves and piping.
Dust collection system.
AHF and nitrogen flow controls.

Level 4

Screw-type UO_3 reduction reactors.
Dust collection cyclone.
Weighing hopper.
Feed hoppers (UO_3).
Screw conveyors.
Fluidized bed reduction reactors - five banks.
HF off-gas piping.
Duct work for dust control system.

Level 5

HF off-gas filters.
Hydrogen burners, propane supply for pilot lights.
Orange oxide hopper unloading platforms.
Duct work.
Exhaust stacks.

ROOFTOPS

Bag houses and other dust control systems.
Refrigeration system for HF azeotrope annex.
Exhaust stacks.

LIST OF CHEMICALS USED IN BUILDING 201:

Lime (calcium hydroxide).
Anhydrous ammonia.
Hydrogen.
Nitrogen.
Freon 22.
Anhydrous hydrofluoric acid.
Hydrofluoric acid, various concentrations.
Uranium oxides.
Uranium tetrafluoride.
Potassium hydroxide.
Hydraulic oil.
Propane.

OBSERVATIONS/ANALYSIS: Uranium oxides and green salt residues are present throughout. Uranium compounds have been deposited on many exposed surfaces as off-gases condensed out on pipe insulation, I-beams, ceilings, handrails, etc. This contamination is highly mobile, and should be removed prior to demolition. Oxides of uranium and green salt are insoluble in water.

The HF, AHF, and azeotrope systems have been ventilated, with several low points found open to the environment. Spot tests conducted on the internals of these systems (at accessible points) were determined pH neutral. Some pipe ends have deposits of green salt. Radioactive residue on all process piping and equipment in this building should be removed prior to placement in the MSA.

All radioactive residuals in this building can be easily detected by a field geiger counter.

Unreacted HF liquid is not expected to be present anywhere in this building, due to its characteristics. It appears that most of the systems have been open to the atmosphere, therefore it is not likely that unreacted HF exists. However, the demolition subcontractor shall approach the HF systems with due caution, especially when disassembling heat exchangers, distillation columns, and horizontal sections of piping. HF protective gear should be specified for disassembling these critical areas, if remote demolition methods are

not used. Hydrogen gas is a by-product when HF reacts with iron, so explosion potential must be monitored before any cutting takes place.

Graphite items (HF azeotrope distillery, condensers, etc.) may contain radioactive residues in unknown quantity. A silver lining 1/8 in. thick is indicated in several as-built drawings, but not discovered during building investigation. There were numerous modifications to the systems in Building 201, so it is possible that the silver-lined equipment was replaced prior to shutdown.

Sump pump-out lines are suspect for radioactive contamination only. Sump water results will reflect contamination levels in the pipe rinse water.

Banks of HF reactors and reduction reactors will need surface cleaning.

The outside nitrogen tank west of Building 201 is empty.

Five banks of fluidized bed reduction reactors are present; they are coated with asbestos and inaccessible for sampling. UO_2 and UO_3 may be present.

The freon system has been vented. It was used in the refrigeration system to control the temperature of Building 202 (AHF Storage) to less than 60°F, and supplied refrigerant to the condensers in the HF azeotrope distillation system. Freon was not an integral part of the chemical processes in Building 201.

Five mixing tanks; No's 0079, 0080, 0081, 0085, 0086 have lime residues inside, and the filter screen between Tanks 0085 and 0086 contains 1/2 lb of yellow cake.

A water softener located on the ground floor is empty.

Utility piping consists of cooling water, steam, air, hydrogen, nitrogen, city water and gas. Much of this piping has been severed during overhead piping removal. Valves are open on these lines.

Process piping consisted of hydrofluoric acid lines, lime/acidic waste water neutralization lines, cracked ammonia lines, off-gas lines.

REDUCTION AND HYDROFLUORINATION REACTORS
LEVELS 1 - 5

JOB NO.



115 of 81 200.13



1ST FLOOR PLAN (H.P. FINISH FLOOR ELEV. 660'-4") FOR PITCH OF SLAB SEE ARCH. DWGS.
FOR CONTINUATION SEE DWG 8201-4
8 BAYS @ 24'-0" = 192'-0"
4 BAYS @ 21'-0" = 84'-0"
NORTH
(3) AMMONIA DISSOCIATOR
EMERGENCY SLURRY PUMP
(4) LIME RECIRCULATING PUMPS
LIME TRANSFER PUMPS
HYDRAULIC DRIVE OIL UNITS (17)
CONTROL BOARDS
MC CENTER
G.S. WEIGH HOPPER SCALE
SECTION P
SECTION Q
SECTION R
SECTION S
SECTION U
SECTION V
SECTION W
SECTION AA
TYPICAL SUMP DETAIL
SECTION BB
SECTION CC
SECTION DD
DETAIL G
TYPICAL REINFORCING DETAILS OF WALLS AT CORNERS
FOR NOTES SEE DWG 8201-4
AS BUILT
BLAW-KNOX CO.
FINAL RELEASE OF THIS DRAWING DEPENDENT ON RECEIPT OF CERTIFIED VENDORS PRINTS FOR THE FOLLOWING ITEMS
JIB CRANE
BURNS AND ROE, INC.
ENGINEERING CONSULTANTS
NEW YORK, N. Y.
FOR
BLAW-KNOX COMPANY
CHEMICAL PLANTS DIVISION
PITTSBURGH, PA.
FOR
U. S. ATOMIC ENERGY COMMISSION
ST. LOUIS AREA OFFICE
AND
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MISSOURI
GREEN SALT PROCESS BLDG. AREA 201
STRUCTURAL
1ST FLOOR PLAN SHEET 2
SECTIONS AND DETAILS
APPROVED FOR AEC D.W. BROWN 12-15-55
APPROVED FOR MCW W. KNECHT 12-14-55
8201-5
4411
5


HYDROFLUORINATION REACTOR A (R13A)
5013-4
HYDROFLUORINATION REACTOR B (R13B)
5014-4
HYDROFLUORINATION REACTOR C (R13C)
5015-4
HF OFF-GAS FILTER
ORANGE OXIDE TRANSFER HOPPER
SEAL HOPPER
GREEN SALT COOLING CONVEYOR
GREEN SALT WEIGH HOPPER
GREEN SALT PICK UP CONVEYOR
COOLING CONVEYOR HOPPER
HYDRAULIC POWER UNIT
OIL FILTER
FLUIDIZER I
FLUIDIZER II
To CONDENSATE TANK
On-Off Light
SCALE
NOTES
MALLINCKRODT CHEMICAL WORKS
URANIUM DIVISION
FLUIDIZED BED REACTORS - GREEN SALT
FLOW DIAGRAM
AREA 201
FLUIDIZERS & FLUORINATION REACTORS
LINE 4
75-330-201-1

Potential Resource Conservation Recovery Act/Toxic Substance Control Act (RCRA/TSCA) Wastes: hydrofluoric acid contaminated residues, ammonia residues, and accumulated waste water and sediment in sumps. Lubricants tainted with PCBs are present at several locations identified during sampling. No sources for reactive, toxic or ignitable wastes were identified. HF, ammonia and freon are highly volatile compounds which dissipate rapidly when vented to the atmosphere, and leave no residuals. The sumps are being analyzed for toxic metals. Data is due shortly.

Eleven off-gas condensers and filters are located on the 5th level. These units are coated with asbestos and were inaccessible for sampling. Radioactive solids are expected to be present, no liquids are anticipated due to openings at low points in these items.

Ammonia dissociation systems - level 1 NW corner, Tanks 0247, 0248, 0249 are lined with asbestos insulation. The ammonia dissociators also contain a catalyst consisting of balls made of iron oxide. No free liquids are present.

Dust collection, air handling, and ductwork systems are likely to have large amounts of radioactive dust and uranium compounds. In-house vacuum systems and baghouses are also radiologically contaminated. Baghouses on the roofs were inaccessible for internal inspection; the amount of radioactive dust in these systems is unknown.

SUPPORTING DOCUMENTS: See the following drawings.

4.2 Building/Area: Metals Plant - Building 301

DESCRIPTION: The metals plant was designed to convert green salt to pure uranium metal. The metal was shaped and processed to meet geometric and metallurgical specifications, and prepared for shipment to other off-site facilities.

CHEMICAL SYSTEMS:

uf_4/magnesium blender and reaction vessel loading station.

MgF_2 liner formation (jolter area and MgF_2 loading hoppers).

Thermite reduction furnaces - mixture of UF_4/magnesium.

Slag handling system, dingot cleaning and reactor lid cleaning - MgF_2, uranium and uranium compounds.

Two molten salt baths with water quench baths and oil separator tank (located outside, north of bldg.).

Container washing station.

Turret lathes, boring, rod straightening and sawing machines with cutting/lube/hydraulic oil.

Rotary kiln - oxidized uranium chips and slag for reprocessing.

Crucible formation.

Trichloroethylene vapor degreaser, bulk storage tank and rinse baths.

Sump water treatment system - caustic soda (NaOH) mix tank
settling tank
leaf-type filter tank
filtered water collection tank

Vacuum pumps/hydraulic systems - some used PCB oil.

OBSERVATIONS/ANALYSIS:

According to site archives and field investigations, the chemicals used in this building were UF_4, MgF_2, metallic uranium, metallic magnesium, NaOH, salt bath chemicals (i.e., a mixture of lithium carbonate and potassium carbonate), and trichloroethylene (TCE).
The vacuum cleaning system and duct work are radiologically contaminated. Loose radioactive contamination is everywhere.

The slag processing area in Building 301-south is contaminated with radioactive solids.

The metal shaping/grinding/drilling/milling equipment is oily in most locations.

The container washing system in the NW corner of Building 301 contains high pH radioactive residue, which will be removed as part of demolition of the building.

The caustic tank and three caustic lines are pH neutral; valves may have accumulated rainwater and/or oil inside.

The bulk TCE tank is empty, no TCE was detected by photoionization detector (PID). The lines are free of TCE based on PID measurements. The vapor degreaser and rinse tanks were also negative for TCE vapors, and no sludge or bottom residue was observed. These items are radiologically contaminanted and cleaning is needed.

Although the majority of oil-containing machinery has been drained in-place, selected pieces of inaccessible mechanical equipment throughout the building will have to be drained of oil, decontaminated or containerized as the s/c makes these units accessible.

The salt bath, quench tank, and water storage tank at NE corner of Building 301 were inaccessible for characterization, but are expected to be highly contaminated with radioactivity. The salt bath used molten salt, which the literature indicates was a mixture of lithium carbonate and potassium carbonate as a means of heat-treating the uranium bars. Heat treating was used to randomize the crystalline structure of the metal product, and thus improve its metallurgical properties.

Another salt bath is present in the extrusion press and billet heater area. The salt bath in the extrusion press area was used as a receptacle for miscellaneous debris during plant shutdown. No chemical residues were observed.

MgF_2 residues are present in the liner formation area.

PCB contamination is likely to be present in the capacitor cabinets in the billet heater area. Visible leaks were noted on many of the capacitors taken out of these cabinets.

Utility piping consists of air, steam, water, electrical conduit, and gas.

Chemical-carrying piping consisted of TCE and caustic soda solutions.

The oil settling tank outside the north wall of Building 301 was PCB wipe tested, and is not contaminated.

The bar shearing/washing/bundling area in the SW corner of Building 301 was not accessible for sampling.

There are two small out buildings south of Building 301 which need to be accounted for in the statement of work.

SUPPORTING DOCUMENTS: See the following drawings.


MATCH LINE
SLAG HOFFMAN PKG. STA.
FAN PLATFORM
AIR FILTER
SLAG CRUSHING & GRINDING COLLECTOR
FAN PLATFORM
GREEN SALT COLLECTOR
GREEN SALT HOFFMAN #1 PKG. STA.
GEN. CLEANING HOFFMAN #2 PKG. STA.
SAND TRENCH
DRUM STORAGE
DINGOT MONORAIL
PANEL
COIL LOADING
HYD. PUMP
MG DRUM CONVEYOR
G.B. HOPPER CONVEYOR
RETURN CONVEYOR
SCALE
MFL HOPPER INVERTER
BOMB BLENDING, FILLING & CAPPING AREA
MFL HOISTING
COIL WINDER
BOLTING PIT
JIB CRANE
TRANSFORMERS
REDUCTION FURNACES
STORAGE
70 SHELLS & LIDS
60 MFL HOPPERS
FILLED SHELLS
EMPTY DRUMS (Mg)
EMPTY HOPPERS (TA-7)
FULL DRUMS (Mg)
FULL HOPPERS (TA-7)
HEATING UNIT
CHIP HOIST
HYD. PUMP
KILN & CASTING HOFFMAN PKG. STA.
WATER PUMP
MOLD STRIPPING
MOLD SPRAY BOOTH
MONORAIL
MOLD CLEANING
CAPICATOR
CASTING FURNACE
VACUUM PUMPS
SUMP PIT
MG SET
HYD. PUMP
SUMP PUMP
CRUCIBLE BURN-OUT PKG. STA.
TRICHLORETHYLENE LOADING STA.
LADDER SAFETY SHOWER
LOCKERS
CAUSTIC TANK
TRICHLORETHYLENE TANK
MOLD OUTGASSING
VACUUM PUMP
SETTLING TANK
SUMP RECOVERY FILTER
R.B.L. ACME CUT OFF
TUBE LOADING
RB & FEED TABLE
ROLL STRAIGHTENER FEED TABLE
ROD CONVEYOR
ROLL OUT PLATFORM
MONORAIL
SALT BATH
CORE MACHINING AREA
R.B.B. ACME DRILLING & REAMING
HEALD BORE-MATIC
DEGREASER
PLATFORM
RINSE TANK
CONVEYOR
JIB CRANE
STAMPING STATION
SUNSTRAND MODEL 8A
SUNSTRAND MODEL 8A
SUNSTRAND MODEL 8A
CENTERLESS GRINDER
SIMPLEX BRAKING MACHINE
SMOKING ROOM
MENS TOILET
VAULT
JANITOR
CLERICAL
SHIFT FOREMAN
TECHNICAL SUPERVISORS
SUPPLIES
FOREMAN
PLANT SUPERINTENDENT
H
G
F
E
D
C
B
A
9
10
11
12
13
14
A
AAB
AB
ABC
B
C
D
E
N
DWG. NO.
TITLE
REFERENCE DRAWINGS
MALLINCKRODT CHEMICAL WORKS
ST. LOUIS, MO.
URANIUM DIVISION
ATOMIC ENERGY COMMISSION CONTRACT NO W-14-108 ENG-8
AREA 301
METAL PLANT LAYOUT
SHEET 1 OF 2
02-360-702-1
NO.
REVISIONS
BY
CHKD
DATE
A
BROUGHT UP TO DATE
DRAWN
CHECKED
PROJ. ENGR
APPROVED
APPROVED
APPROVED
SCALE: 1/8" = 1'-0"


HELIUM TRAILER PARKING
HELIUM VALVING STATION
SLIDING DOOR
MONORAIL
UNIT HEATER
TRANSFER TABLE
ELECTRICAL CONTROL PANEL
RECESSED BENCH MARK
SCRAP CART
GAMMA BILLET HEATING
SEPARATION TABLE
CAPACITORS
EXTRUSION PRESS
TRANSFER CART
DISTRIBUTION PANEL
SALT BATH CONTROL PANEL
PULL BOX
PANEL
HYD. VALVE
SERVO SYSTEM
SALT BATH
SALT BATH CONVEYOR SUPPORT COLUMNS
CONTAINER SWITCH
CONTAINER CONTROLS
RAILING
CONTAINER HEATING STATION
DRINKING FOUNTAIN
TOOL RACK
PIPE BRIDGE
QUENCH TANK
CONVEYORS & INVERTERS
BRIDGE CRANE & SUPPORT
SHIELD
EXTRUDED ROD STORAGE
PRESS HYDRAULIC SYSTEM
AIR COMPRESSORS
CROP SAW
SCALE
LATHE
TOOL CRIB
TOOL GRINDER
INGOT STORAGE
LID CLEANING
HEATING UNIT
MAINTENANCE CRIB
SUMP PUMP
TURRET LATHE
TRUCK LOADING RAMP
RAMP
UP
SCREW FEEDER
DRUM DUMPING STATION
DRUMS OUT
DRUMS IN
PRODUCT SAMPLE PKG. STA.
HOIST WELL
ELEV.
FEEDER
CRUSHER
DRUMMING STATION
HOISTING PIT
LADDER
HYDROHAMMER
BREAKOUT AREA
ELEC. PANELS
UNBOLTING PIT
BREAKOUT MONORAIL
HOFFMANN SLAG VACUUM SYSTEM PKG. STA.
BREAKOUT DUST COLLECTOR
JOLTER #2
JOLTER #1
BOTTOMS ADDITION STA.
MATCH LINE
ROTARY KILN
COOLING SCREW
KILN PKG. STA.
52" BULLARD MAN-AU-TROL VTL LATHE
CHIP HOIST
JIB CRANE
TRANSFORMERS
DWG. NO. | REFERENCE DRAWINGS | TITLE
MALLINCKRODT CHEMICAL WORKS
URANIUM DIVISION
ATOMIC ENERGY COMMISSION CONTRACT NO. W-14-108-ENG-8
REVISIONS
BROUGHT UP TO DATE
DRAWN
CHECKED
PROJ. ENGR.
APPROVED
SCALE: 1/8" = 1'-0"
METAL PLANT LAYOUT
SHEET 2 OF 2
DWG. NO. 02-360-702-2

5 REFERENCES

Code of Federal Regulations Title 40 Part 761.120 *PCB Spill Cleanup Policy*, and Part 761.123 *Definitions*, 1990.

Mallinckrodt Chemical Works, 1959. *Uranium Production Technology*. Prepared under Contract with the U.S. Atomic Energy Commission.

Mallinckrodt Chemical Works, 1966. *Shut Down and Standby Manuals*. July.

MK-Ferguson Company and Jacobs Engineering Group, 1988. *Building Characterization Sampling Plan*. Rev. 0. DOE/OR/21548-021. Prepared for the U.S. Department of Energy, Oak Ridge Operations Office. St. Charles, MO. April.

MK-Ferguson Company and Jacobs Engineering Group, 1990. *Asbestos and Chemical Characterization Report for Non-Process Related Buildings and Equipment*. Rev. E. Prepared for the U.S. Department of Energy, Oak Ridge Operations Office. St. Charles, MO. April.

MK-Ferguson Company and Jacobs Engineering Group, 1990. *Buildings Radiological Characterization Report*. Rev. 0. DOE/OR/21548-120. Prepared for the U.S. Department of Energy, Oak Ridge Operations Office. St. Charles, MO. April.

MK-Ferguson Company and Jacobs Engineering Group, 1990. *Phase II-Chemical Consolidation Work Plan*. Rev. 1. DOE/OR/21548-107. Prepared for the U.S. Department of Energy, Oak Ridge Operations Office. St. Charles, MO. October.

U.S. Atomic Energy Commission, Office of Technical Information, 1960. *Expansion Program at St. Louis Area*. Project No. 224-5066A. Project History and Completion Report (MK-Ferguson WSSRAP Library file No. GR0022). October.

WSSRAP Procedure ES&H 3.1.5 - Bulk Sampling for Asbestos.